

KAPIL



PRICE LIST w.e.f. 1st September, 2018

**WORLD'S
BEST
TECHNOLOGY**

*Over 50 Years
of Unmatched Quality Products*



ISO 9001-2015 CERTIFIED CO.





“The beginning
of the new era
Challenging
ourselves to become
the global leader”

Kapil Chopra

Chairman & MD

President & Chief Patron:
Apex Chamber of Commerce & Industry

WE ARE A SHINING EXAMPLE IN THE INDUSTRY

KAPIL BENTEX-SKN products are at the forefront of innovation in the field of electrical devices with latest International design and technology. SKN-BENTEX Group has a rich history of success, which has been achieved through enterprise, endeavors, dedication, team work and sincerity of pride in result oriented performance. Our single motto is to manufacture quality product and ensure total customer satisfaction. The group companies have adopted International Standard and have been certified for ISO 9001-2015. Most of Product are ISI marked. Our products are being marketed all over India through 500 dealers network. The products are being exported to many countries across the world.

TABLE OF CONTENTS



S. No.	Items	Page No.
1.	Air Break Motor Starters, Thermal Overload Relays	2
2.	AC/DC Contactors & Relays, Capacitors & KVAR	3
3.	Amp. & Volt Meters, Kit Set for Oil Immersed Motor Starters	4
4.	Oil King Series: Oil Immersed Motor Starters, BOI (SP) & Motor Starter Oil	5
5.	Oil Immersed Motor Starters, Auto Transformer Oil Immersed Motor Starters, L.T. Oil Circuit Breakers & L.T. Control Switches	6-10
6.	Submersible Control Panels (SPP) & Motor Control Panels (EN) series	11-12
7.	Motor Control Panels (TPP) series	12
8.	Air Break Motor Control Panels	13
9.	Air Break Motor Control Panels, Single Phasing Preventor & Change Over Switches	14
10.	Change Over Switches, Main Switches, Bus Bar & D.B. Fuse Switches	15
11.	Ceiling Fans & Regulators	16
12.	BLDC Energy Saving Ceiling Fans, Mono Block Pumps & Induction Motors	17
13.	M.C.Bs., M.C.Bs. Changeover & M.C.Bs. Distribution Boards Plastic Enclosure, Sheet Steel Distribution Boards, Plug & Sockets & MCCBs	18-19
14.	RCCB/ELCB, MCB+ELCB, Energy Meters & Digital Volt and Amp. Meter	20

1



BDL



AIR BREAK DIRECT-ON-LINE MOTOR STARTERS

TYPE : BDL

HSN CODE : 85369010

RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
0.25, 0.5, 1, 2, 3 H.P. (Single Phase)	1160.00	12
1, 2, 3, 5, 7.5 H.P. (Three Phase)	1160.00	12
10 H.P. (Three Phase)	1260.00	12

2



SDM



AIR BREAK MANUALLY OPERATED STAR-DELTA MOTOR STARTERS

TYPE : SDM (3 HP to 35 HP)

HSN CODE : 85369010

RANGE	SDM PRICE/UNIT (Rs.)	SDM (S) PRICE/UNIT (Rs.)	MIN. PKG.
3, 5, 7.5, 10 H.P.	2685.00	2300.00	4
12.5, 15, 17.5, 20 H.P.	2810.00	2375.00	4
22.5, 25 H.P.	2870.00	2445.00	4
30 H.P.	3000.00	2570.00	4
35 H.P.	3095.00	2685.00	4

3



SDM (S-CLASS)

4



BSDL



AIR BREAK DIRECT-ON-LINE MOTOR STARTERS TYPE : BSDL

HSN CODE : 85369010

DESCRIPTION	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
BSDL	0.25 To 3 HP (Single Phase)	1480.00	12
BSDL	1 to 7.5 HP (Three Phase)	1480.00	12
BSDL	10 HP (Three Phase)	1635.00	12
BSDL	15 HP (Three Phase)	2470.00	12

5



BSDLSA/
BSDLFA



SEMI/FULLY AUTOMATIC AIR BREAK STAR DELTA MOTOR STARTERS

TYPE : BSDLSA, BSDLFA, BSDLFA (P) (3 HP to 20 HP)

HSN CODE : 85369010

DESCRIPTION	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
Semi-Automatic Air Break Star-Delta Motor Starter TYPE : BSDLSA	3 TO 15 HP 20 HP	3730.00 4360.00	2
Fully Automatic Air Break Star-Delta Motor Starter TYPE : BSDLFA	3 TO 15 HP 20 HP	4240.00 4870.00	2
Fully Automatic Air Break Star-Delta Motor Starter with Single Phasing Preventor & Phase Indicator TYPE : BSDLFA (P)	3 TO 15 HP 20 HP	5260.00 5890.00	2

6



THERMAL
OVERLOAD
RELAYS



THERMAL OVERLOAD RELAYS FOR AIR BREAK STARTERS (BSDL SERIES)

HSN CODE : 85363000

DESCRIPTION	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
Thermal Over load Relay of Air Break Starter	(up to 9 to 14 A)	585.00	12
Thermal Over load Relay of Air Break Starter	15-24 Amp.	700.00	12



AIR BREAK CONTACTORS (BSDL SERIES)

HSN CODE : 85363000

DESCRIPTION	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
Air Break Contactor (BSDL) Series	16 Amp	710.00	12
Air Break Contactor (BSDL) Series	25 Amp	885.00	12



7

AIR BREAK CONTACTOR



AIR BREAK AC CONTACTOR SINGLE PHASE DOUBLE POLE

TYPE : SMC 220V 50 Hz

HSN CODE : 85363000

AC Contactor Single Phase	565.00	20
---------------------------	--------	----



8

AIR BREAK AC CONTACTOR



AIR BREAK THREE POLE CONTACTOR WITH DC OPERATING COIL (SUITABLE FOR AIR BREAK SUBMERSIBLE CONTROL PANELS BADC/BADL)

HSN CODE : 85363000

DESCRIPTION	RATING	PRICE/UNIT (Rs.)	MIN. PKG.
DC CONTACTORS (3 Phase, 415V, 50 Hz)	25 A	2275.00	20
	35 A	2915.00	20
	50 A	3295.00	20



9

AIR BREAK CONTACTOR



THERMAL OVERLOAD RELAYS FOR AIR BREAK CONTACTORS ALSO SUITABLE FOR BADC/BADL

HSN CODE : 85363000

RELAYS	14 - 23 A	1890.00	20
	20 - 33 A	2050.00	20
	30 - 50 A	2210.00	20
	45 - 75 A	2375.00	20



10

OVERLOAD RELAY



CAPACITORS FOR SINGLE PHASE SUBMERSIBLE CONTROL PANEL

HSN CODE : 85322500

RUNNING CAPACITOR RATING	PRICE/UNIT (Rs.)	RUNNING CAPACITOR RATING	PRICE/UNIT (Rs.)	MIN. PKG.
50 Mfd.	240.00	120 - 150 Mfd.	380.00	20
60 Mfd.	285.00	150 - 200 Mfd.	420.00	20
72 Mfd.	315.00	200 - 250 Mfd.	450.00	20
105 Mfd.	460.00	250 - 300 Mfd.	505.00	20



11

CAPACITORS



L.T. SHUNT CAPACITOR FOR POWER FACTOR ENVIRONMENT (KVAR)

HSN CODE : 85323000

1 KVAR TO 25 KVAR (DRY)	415 V	215.00 per KVAR
1 KVAR TO 25 KVAR (OIL Filled)	415 V	330.00 per KVAR



12

KVAR

Minimum Packing - 100 KVAR

13



AMP METER



AMP METER

Price/Unit (Rs.)
HSN CODE : 90303310

Range	Round Projection		Round Flush			Round Pedestal		Square Flush		
	4"	6"	2.5"	4"	6"	4"	6"	72 mm	96 mm	144 mm
0-1 to 0-50 A	245.00	335.00	115.00	235.00	380.00	275.00	425.00	185.00	335.00	425.00
0-60 to 0-100 A	290.00	380.00	135.00	280.00	430.00	305.00	460.00	190.00	375.00	460.00
0-150, 0-200 A	315.00	440.00	—	335.00	460.00	380.00	520.00	—	440.00	525.00
0-250, 0-300 A	355.00	470.00	—	380.00	495.00	380.00	555.00	—	470.00	565.00
0-400 A	420.00	540.00	—	445.00	565.00	445.00	635.00	—	540.00	635.00
0-500 A	470.00	585.00	—	520.00	610.00	520.00	710.00	—	585.00	680.00

Minimum Packing - 60 Pcs.

14



VOLT METER



VOLT METER

Price/Unit (Rs.)
HSN CODE : 90303310

Range	Round Projection		Round Flush			Round Pedestal		Square Flush		
	4"	6"	2.5"	4"	6"	4"	6"	72 mm	96 mm	144 mm
0-10 to 0-60V	215.00	335.00	115.00	235.00	380.00	240.00	420.00	170.00	335.00	440.00
0-75 to 0-300V	250.00	380.00	130.00	280.00	390.00	280.00	460.00	205.00	375.00	445.00
0-500 to 0-600V	280.00	440.00	155.00	335.00	460.00	335.00	525.00	225.00	440.00	525.00

Minimum Packing - 60 Pcs.

15



KIT SET



KIT SETS SUITABLE FOR BOI/BSA/FAB

HSN CODE : 85389000

DESCRIPTION	PRICE (Rs.)	PER
Kit Set Upto 15 HP (Type A)	235.00	Set 3 Moving + 6 Fix Contacts
Kit Set Upto 20 HP to 35 HP (Type B)	280.00	Set 3 Moving + 6 Fix Contacts
Extra Long Life Kit upto 40 HP (Type C)	660.00	Set 3 Moving + 6 Fix Contacts
Kit Set Heavy Duty (Type D)	245.00	Set 3 Moving + 6 Fix Contacts
Kit Set 2001 (Type E)	280.00	Set 3 Moving + 6 Fix Contacts
Kit Set EHD (Type F) only for Old Starters	320.00	Set 3 Moving + 6 Fix Contacts
Kit Set BSA(W)	320.00	Set 3 Moving + 6 Fix Contacts
BSA (S) 50 HP-60 HP Kit Set Extra Long Llife	3150.00	Set 3 Moving + 6 Fix Contacts
BCSA 15 HP-35 HP Kit Set	395.00	Set 3 Moving + 6 Fix Contacts
BCSA 40 HP Kit Set	525.00	Set 3 Moving + 6 Fix Contacts
BCSA 50 HP Copper Kit Set	1050.00	Set 3 Moving + 6 Fix Contacts

Minimum Packing - 300 Pcs.



OIL KING DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS

TYPE : BOI-K 400 V, Three Phase, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY/MOTOR AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	3	5	7.5	10	15	20

PRICE UNIT Rs.

BOI-K

3/5/7.5 H.P.
10/12.5/15 H.P.
20 H.P.

Rs. 2035.00
Rs. 2235.00
Rs. 2360.00

Minimum Packing - 8 Pcs.



OIL KING SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS SHEET METAL BODY WITH IMPROVED TECHNOLOGY

TYPE : BSA-K 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

BSA-K

5/7.5/10/12.5/15 H.P.
20 H.P.
25/30/35 H.P.
40 H.P.

Rs. 4820.00
Rs. 5130.00
Rs. 5430.00
Rs. 5830.00

Minimum Packing - 4 Pcs.



OIL KING FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS SHEET METAL BODY WITH IMPROVED TECHNOLOGY

TYPE : FAB-K 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

FAB-K

5/7.5/10/12.5/15 H.P.
20 H.P.
25/30/35 H.P.
40 H.P.

Rs. 5305.00
Rs. 5620.00
Rs. 5925.00
Rs. 6320.00

Minimum Packing - 4 Pcs.



SINGLE PHASE DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS

TYPE : BOI (SP) 220 V, Single Phase, 50 Hz, AC (1 HP to 10 HP)

HSN CODE : 85369010

RELAY/MOTOR AMPS.	6 - 10	9 - 14	13 - 21	13 - 21	25 - 35	30 - 42	42 - 54
H.P.	1	1.5	2	3	5	7.5	10

BOI (SP)

1/1.5/2/3 H.P.
5 H.P.
7.5 H.P.
10 H.P.

Rs. 2040.00
Rs. 2155.00
Rs. 2265.00
Rs. 2775.00

Minimum Packing - 8 Pcs.



MOTOR STARTER OIL FOR OIL IMMERSSED MOTOR STARTERS

HSN CODE : 27101990

DESCRIPTION	CAPACITY	PRICE/UNIT (Rs.)
Motor Starter Oil	1 Ltr	190.00 per Litre

Minimum Packing - 24 Ltr.



21



BOI / BOI(W)



DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS

TYPE : BOI / BOI(W) 400 V, Three Phase, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY/MOTOR AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	3	5	7.5	10	15	20

	BOI	BOI(W) with Heavy Wide Copper Kits	with Extra Long Life Contact
3/5/7.5 H.P.	Rs. 2075.00	Rs. 2130.00	Rs. 2570.00
10/12.5/15 H.P.	Rs. 2235.00	Rs. 2290.00	Rs. 2730.00
20 H.P.	Rs. 2360.00	Rs. 2420.00	Rs. 2855.00

Minimum Packing - 8 Pcs.

22



BSA / BSA(W)



SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : BSA / BSA(W) 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

	BSA	BSA(W) with Heavy Wide Copper Kits	with Extra Long Life Contact
5/7.5/10/12.5/15 H.P.	Rs. 4820.00	Rs. 4990.00	Rs. 6315.00
20 H.P.	Rs. 5130.00	Rs. 5300.00	Rs. 6625.00
25/30/35 H.P.	Rs. 5430.00	Rs. 5600.00	Rs. 6925.00
40 H.P.	Rs. 5830.00	Rs. 6000.00	Rs. 7325.00

Minimum Packing - 4 Pcs.

23



BSA(H)



SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : BSA(H) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	15	20	25	30	35	40

	BSA(H)
15 H.P.	Rs. 5090.00
20 H.P.	Rs. 5400.00
25/35 H.P.	Rs. 5700.00
40 H.P.	Rs. 6100.00

Minimum Packing - 4 Pcs.

24



FAB / FAB(W)



FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : FAB / FAB(W) 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

	FAB	FAB(W) with Heavy Wide Copper Kits	with Extra Long Life Contact
5/7.5/10/12.5/15 H.P.	Rs. 5305.00	Rs. 5475.00	Rs. 6800.00
20 H.P.	Rs. 5620.00	Rs. 5790.00	Rs. 7115.00
25/30/35 H.P.	Rs. 5925.00	Rs. 6095.00	Rs. 7420.00
40 H.P.	Rs. 6315.00	Rs. 6485.00	Rs. 7810.00

Minimum Packing - 4 Pcs.



All models of BOI, BSA, FAB can be supplied with "R" - means Separate Replaceable Complete Relay Unit. Replaceable Relay (New) will be provided in place of inbuilt relay (Old). Only rate difference between both the relays will be charged and i.e. Rs. 300/-.



FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : FAB(H) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	15	20	25	30	35	40

FAB(H)

15 H.P.	Rs. 5575.00
20 H.P.	Rs. 5890.00
25/35 H.P.	Rs. 6195.00
40 H.P.	Rs. 6585.00

Minimum Packing - 4 Pcs.



FAB(H)



DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS with Magnetic Dash Pot

Relay TYPE : BSOI 400 V, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY /MOTOR AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	3	5	7.5	10	15	20

BSOI

3/5/7.5/10 H.P.	Rs. 2500.00
15/20 H.P.	Rs. 2700.00

Minimum Packing - 4 Pcs.



BSOI



DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS with Thermal Relay

TYPE : BCOI 400 V, 50 Hz, AC (15 HP to 35 HP)

HSN CODE : 85369010

15/20 H.P.	Rs. 2550.00
25 H.P.	Rs. 2875.00
30 H.P.	Rs. 3060.00
35 H.P.	Rs. 6060.00

Minimum Packing - 4 Pcs.



BCOI



SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS WITH IMPROVED TECHNOLOGY

TYPE : BCSA 400 V, Three Phase, 50 Hz, AC (5 HP to 60 HP)

HSN CODE : 85369010

MOTOR CURRENT	6 - 10	10 - 17	10 - 17	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70	63 - 80	63 - 80	70 - 90	70 - 90
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42	38 - 48	38 - 48	42 - 54	42 - 54
H.P.	5	7.5	10	15	20	25	30	35	40	45	50	55	60

BCSA

with extra long life contact

5/7.5/10/12.5/15 H.P.	Rs. 5225.00	
20 H.P.	Rs. 5535.00	
25/30/35 H.P.	Rs. 5845.00	
40 H.P.	Rs. 6255.00	
50 H.P.	Rs. 8995.00	Rs. 13145.00
55/60 H.P.	Rs. 9435.00	Rs. 13545.00

Minimum Packing - 4 Pcs.



BCSA



FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS WITH IMPROVED TECHNOLOGY

TYPE : BCFA 400 V, Three Phase, 50 Hz, AC (5 HP to 60 HP)

HSN CODE : 85369010

MOTOR CURRENT	6 - 10	10 - 17	10 - 17	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70	63 - 80	63 - 80	70 - 90	70 - 90
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42	38 - 48	38 - 48	42 - 54	42 - 54
H.P.	5	7.5	10	15	20	25	30	35	40	45	50	55	60

BCFA

with extra long life contact

5/7.5/10/12.5/15 H.P.	Rs. 5720.00	
20 H.P.	Rs. 6030.00	
25/30/35 H.P.	Rs. 6335.00	
40 H.P.	Rs. 6750.00	
50 H.P.	Rs. 9490.00	Rs. 13640.00
60 H.P.	Rs. 9930.00	Rs. 14075.00

Minimum Packing - 4 Pcs.



BCFA

30



BMD



MANUALLY OPERATED STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : BMD 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6 - 10	10 - 17	10 - 17	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	54 - 70
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	5	7.5	10	15	20	25	30	35	40

BMD

5/7.5/10/12.5/15 H.P.	Rs. 4740.00
20 H.P.	Rs. 5035.00
25/30/35 H.P.	Rs. 5345.00
40 H.P.	Rs. 5755.00

Minimum Packing - 2 Pcs.

31



BSD



MANUALLY OPERATED STAR-DELTA OIL IMMERSSED MOTOR STARTERS

(HEAVY DUTY) TYPE : BSD 400 V, Three Phase, 50 Hz, AC (10 HP to 60 HP)

HSN CODE : 85369010

AMPS/RELAY MOTOR CURRENT	14 - 18	21 - 26	25 - 35	33 - 42	41 - 52	48 - 57	53 - 64	60 - 72	70 - 80	78 - 98
H.P.	10	15	20	25	30	35	40	45	50	60

BSD

10/15/20 H.P.	Rs. 10715.00
25/30/H.P.	Rs. 11560.00
35/40 H.P.	Rs. 12390.00
45/50/60 H.P.	Rs. 13235.00

Minimum Packing - 1 Pc.

32



BAT



MANUALLY OPERATED AUTO TRANSFORMER OIL IMMERSSED MOTOR STARTERS

TYPE : BAT 400 V, Three Phase, 50 Hz, AC (10 HP to 60 HP)

HSN CODE : 85369010

AMPS MOTOR CURRENT	12 - 18	20 - 26	25 - 35	32 - 42	41 - 53	45 - 55	55 - 64	61 - 72	66 - 76	78 - 98
H.P.	10	15	20	25	30	35	40	45	50	60

BAT

10/15/20 H.P.	Rs. 34185.00
25/30/H.P.	Rs. 35980.00
35/40 H.P.	Rs. 41255.00
45/50 H.P.	Rs. 45815.00
55/60 H.P.	Rs. 49080.00

Minimum Packing - 1 Pc.

33



BATFA



FULLY AUTOMATIC AUTO TRANSFORMER OIL IMMERSSED MOTOR STARTERS

TYPE: BATFA 400 V, Three Phase, 50 Hz, AC (10 HP to 60 HP)

HSN CODE : 85369010

AMPS MOTOR CURRENT	12 - 18	20 - 26	25 - 35	33 - 42	40 - 53	45 - 55	55 - 64	61 - 72	66 - 76	78 - 98
H.P.	10	15	20	25	30	35	40	45	50	60

BATFA

10/15/20 H.P.	Rs. 47445.00
25/30/H.P.	Rs. 49080.00
35/40 H.P.	Rs. 60535.00
45/50 H.P.	Rs. 85920.00
55/60 H.P.	Rs. 110455.00

Minimum Packing - 1 Pc.

34



SSD



MANUALLY OPERATED OIL IMMERSSED STAR-DELTA MOTOR STARTERS

TYPE: SSD

HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Heavy Duty Oil Immersed	0 - 20 HP	10715.00
Manually Operated Star-delta Motor Starter	21 - 30 HP	11275.00
Type : SSD (Single Contact)	31 - 40 HP	11585.00
Type : SSD (E)	41 - 50 HP	12050.00

Minimum Packing - 1 Pc.



MANUALLY OPERATED OIL IMMERSSED STAR-DELTA MOTOR STARTERS TYPE : SSD-S Dx. AND SSD-THERMAL

HSN CODE : 85369010

Manually Operated Oil Immersed Star-Delta Motor Starter (With Single Contact) Type : SSD-S Dx	Upto 20	13455.00
	21 - 30	14710.00
	31 - 40	15810.00
	41 - 60	16905.00
Manually Operated Oil Immersed Star-Delta Motor Starter (With Double Contact) Type : SSD-S. Dx	41 - 60	24105.00
	61 - 80	25660.00
	81 - 100	28945.00
Heavy Duty with Double Contact Strip Wound Overload Coil & Cable Entry Box Type : SSD - S. Dx	101 - 125	32240.00
	126 - 150	39590.00
	151 - 200	47415.00

Minimum Packing - 1 Pc.



35

SSD- S Dx



OIL IMMERSSED MANUALLY OPERATED AUTO TRANSFORMER MOTOR STARTERS TYPE : SAT

HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Oil Immersed Manually Operated Auto Transformer Motor Starter (With Single Contact)	Upto 20	51625.00
	21 - 30	55395.00
	31 - 40	61810.00
	41 - 60	75130.00
Heavy Duty with Double Contact & Strip Wound Overload Coil	41 - 50	77765.00
	51 - 80	84840.00
	81 - 100	90260.00
Heavy Duty with Double Contact & Strip Wound Overload Coil with Cable Entry Box Type SSD-SDx	101 - 125	134660.00
	126 - 150	149440.00
	151 - 200	177545.00

(101 to 200 HP Starters are required with cable box, Rs. 4460/- will be charged extra)

Minimum Packing - 1 Pc.



36

SAT



MANUALLY OPERATED L.T. OIL CIRCUIT BREAKER NON DRAW OUT TYPE TYPE : SOCB - N

HSN CODE : 85369010

DESCRIPTION	RATING AMP.	BREAKING CAPACITY MVA	PRICE/UNIT (Rs.)
Manually Operated L.T. Oil Circuit Breakers Non-Draw Out Type TYPE : SOCB - N	100	5	28935.00
	200	5	30910.00
	300	5	53435.00
	400	15	54905.00
	600	25	74635.00
	800	25	102925.00
	1250	25	132660.00

Interlocking Charges Rs. 3125/- per OCB extra.


Minimum Packing - 1 Pc.



37

SOCB-N

38



SOSR



OIL IMMERSED MANUALLY OPERATED SLIPRING MOTOR STARTER (COMBINED STATOR-ROTOR STARTER) SHEET STEEL CLAD WALL

MOUNTING TYPE : SOSR 400-440 VOLTS 3 PHASE 50 Hz HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Slipring Oil Immersed Combined Stator-Rotor Starter TYPE : SOSR	Upto 20	28775.00
(A) Three numbers magnetic overload releases with oil dashpot time lags.	21 - 30	29920.00
(B) One number under voltage release.	31 - 40	33535.00
(C) One number stop lever.		

Minimum Packing - 1 Pc.

39



SOSR (HD)



MANUALLY OPERATED OIL IMMERSED FLOOR MOUNTING STATOR-ROTOR STARTER WITH SKN OIL CIRCUIT BREAKER TYPE : SOSR (HD)

HSN CODE : 85369010

DESCRIPTION	H.P. RATING	RATING OF SOCB	COMPLETE STATOR ROTOR STARTER WITH OCB (Rs.)	PRICE ROTOR ONLY (Rs.)
RATCHET TYPE				
SOSR (HD)	Up to 75	SOCB 100 AMP.	56720.00	27130.00
SOSR (HD)	76 - 150	SOCB 200 AMP.	71680.00	40115.00
ROTARY TYPE				
SOSR (HD)	151 - 200	SOCB 300 AMP.	139250.00	84675.00
SOSR (HD)	201 - 250	SOCB 400 AMP.	162750.00	107190.00
SOSR (HD)	251 - 300	SOCB 400 AMP.	180835.00	125270.00
SOSR (HD)	301 - 350	SOCB 600 AMP.	209770.00	134805.00

NOTE : WHILE PLACING ORDER OF SOSR STARTERS, PLEASE INFORM RV/RA OF THE MOTOR RS. 4000/- FOR STAND COST FOR SOSR WILL BE CHARGED EXTRA.

Minimum Packing - 1 Pc.



REVERSING SWITCH

40



CHANGE OVER SWITCH

41



L.T. CONTROL SWITCH (32 A.)



L.T. CONTROL SWITCHES (REVERSING SWITCHES)

HSN CODE : 85365090

S. NO.	DESCRIPTION	PRICE/UNIT (Rs.)	MIN. PKG.
1.	Reversing Switch 25 A (with enclosure)	700.00	30
2.	Change Over Switch 25 A (with enclosure)	700.00	30
3.	Reversing Switch 25 A (without enclosure)	600.00	30
4.	Star-Delta Switch 25 A (without enclosure)	700.00	30
5.	On-Off Switch 25 A (with enclosure)	625.00	30
6.	On-Off Switch 25 A (without enclosure)	500.00	30
7.	Reversing Switch 16 A (with enclosure)	375.00	40
8.	Change Over Switch 16 A (with enclosure)	375.00	40
9.	On-Off Switch 16 A (with enclosure)	375.00	40
10.	Reversing Switch 40 A (with enclosure)	760.00	30
11.	Reversing Switch 40 A (without enclosure)	645.00	30
12.	Reversing Switch 63 A (with enclosure)	3350.00	20
13.	Change Over Switch 63 A (with enclosure)	3350.00	20
14.	1 Phase 220 V On-Off/ Change Over Switch 16 A	320.00	40



OIL IMMERSED SINGLE PHASE SUBMERSIBLE CONTROL PANEL TYPE : BSBP
220 V AC Single Phase 50 Hz (3 HP to 7.5 HP)

HSN CODE : 85371000

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)	MIN. PKG.
BSBP Unit with Condensers+O/L Relay+	3 HP	3525.00	4
Digital Meter (Amp. & Volt)+Fuse Unit	5 HP	5170.00	2
	7.5 HP	5675.00	2

Note:- Rs. 160/- will be charged extra for 3 HP with 20-32 A. Relay Range, in place of 13-21A



OIL IMMERSED SINGLE PHASE MOTOR CONTROL PANEL TYPE : BOI (SPP)
220 V AC Single Phase 50 Hz (1 HP to 7.5 HP)

HSN CODE : 85371000

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)	MIN. PKG.
BOI (SPP) Unit with Condensers+O/L Relay	1, 2, 3 HP	3570.00	4
	5 HP	5195.00	2
	7.5 HP	5695.00	2

Note:- Rs. 160/- will be charged extra for 3 HP with 20-32 A. Relay Range, in place of 13-21A



DIRECT-ON-LINE OIL IMMERSED SUBMERSIBLE CONTROL PANEL WITH AMP & VOLT METER + MCB + OVERLOAD PROTECTION TYPE : BOI (EN)
400 V, Three Phase, 50 Hz, AC (7.5 HP to 20 HP)

HSN CODE : 85371000

RELAY/MOTOR AMPS.	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	7.5	10	15	20

	BOI (EN)	BOI (EN) with Fuse Unit	
7.5 H.P.	Rs. 4730.00	Rs. 4940.00	
10/12.5/15 H.P.	Rs. 4880.00	Rs. 5090.00	
20 H.P.	Rs. 5005.00	Rs. 5215.00	Minimum Packing - 2 Pcs.



DIRECT-ON-LINE OIL IMMERSED SUBMERSIBLE CONTROL PANEL WITH AMP & VOLT METER + MCB + OVERLOAD PROTECTION (Magnetic Dash Pot Relay) TYPE : BSOI (EN) 400 V, 50 Hz, AC (7.5 HP to 20 HP)

HSN CODE : 85371000

RELAY/MOTOR AMPS.	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	7.5	10	15	20

	BSOI (EN)	
7.5 H.P.	Rs. 4940.00	
10/12.5/15 H.P.	Rs. 5120.00	
20 H.P.	Rs. 5255.00	Minimum Packing - 2 Pcs.



SEMI AUTOMATIC STAR-DELTA OIL IMMERSED SUBMERSIBLE CONTROL PANEL WITH AMP & VOLT METER+MCB/FUSE UNIT+OVERLOAD PROTECTION TYPE : BSA (EN) & BCSA (EN) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85371000

MOTOR CURRENT	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	15	20	25	30	35	40

	BSA (EN)	BSA (EN) with Fuse Unit	BCSA (EN)	BCSA (EN) with Fuse Unit
15 H.P.	Rs. 7500.00	Rs. 7710.00	Rs. 7905.00	Rs. 8115.00
20 H.P.	Rs. 7815.00	Rs. 8025.00	Rs. 8220.00	Rs. 8430.00
35 H.P.	Rs. 8855.00	Rs. 9065.00	Rs. 9265.00	Rs. 9475.00
40 H.P.	Rs. 9320.00	Rs. 9530.00	Rs. 9755.00	Rs. 9965.00

Minimum Packing - 2 Pcs.



48



49



FAB (EN) / BCFA (EN)

50



BOI (TPP) CONTROL PANEL

51



BSA (TPP) CONTROL PANEL

52



FAB (TPP) CONTROL PANEL



FULLY AUTOMATIC STAR-DELTA OIL IMMERSIBLE CONTROL PANEL WITH AMP & VOLT METER+MCB/FUSE UNIT+OVERLOAD PROTECTION

TYPE : FAB (EN) & BCFA (EN) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85371000

MOTOR CURRENT	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	15	20	25	30	35	40

	FAB (EN)	FAB (EN) with Fuse Unit	BCFA (EN)	BCFA (EN) with Fuse Unit
15 H.P.	Rs. 7990.00	Rs. 8200.00	Rs. 8400.00	Rs. 8610.00
20 H.P.	Rs. 8305.00	Rs. 8515.00	Rs. 8720.00	Rs. 8930.00
35 H.P.	Rs. 9350.00	Rs. 9560.00	Rs. 9765.00	Rs. 9975.00
40 H.P.	Rs. 9820.00	Rs. 10030.00	Rs. 10255.00	Rs. 10465.00

For Preventor Rs. 1390/- will be charged extra in all EN series of Starters.

Minimum Packing - 2 Pcs.



DIRECT-ON-LINE OIL IMMERSIBLE MOTOR CONTROL PANEL

TYPE : BOI (TPP) (3 HP to 20 HP)

HSN CODE : 85371000

DESCRIPTION OF STARTER	RANGE H.P.	PRICE/UNIT (Rs.)			
		WITH 63 A CUT OUT	WITH 63 A MCCB	WITH 100 A CUT OUT	WITH 100 A MCCB
BOI (TPP)	3 - 7.5 HP	5020.00	5835.00	---	---
BOI (TPP)	10 - 15 HP	5160.00	---	5765.00	5935.00
BOI (TPP)	20 HP	5290.00	---	5890.00	6070.00

Minimum Packing - 1 Pc.



SEMI AUTOMATIC OIL IMMERSIBLE MOTOR CONTROL PANEL

TYPE : BSA (TPP), BCSA (TPP) (15 HP to 40 HP)

HSN CODE : 85371000

BSA (TPP)	15 HP	8010.00	—	—	9405.00
BSA (TPP)	20 HP	8330.00	—	8930.00	9705.00
BSA (TPP)	25 - 35 HP	—	—	9390.00	10160.00
BSA (TPP)	40 HP	—	—	9855.00	10630.00
BCSA (TPP)	15 HP	8420.00	—	—	—
BCSA (TPP)	20 HP	8780.00	—	—	—
BCSA (TPP)	25 - 35 HP	—	—	9820.00	10595.00
BCSA (TPP)	40 HP	—	—	10360.00	11080.00

Minimum Packing - 1 Pc.



FULLY AUTOMATIC OIL IMMERSIBLE MOTOR CONTROL PANEL

TYPE : FAB (TPP), BCFA (TPP) (15 HP to 40 HP)

HSN CODE : 85371000

FAB (TPP)	15 HP	8565.00	—	—	9940.00
FAB (TPP)	20 HP	8845.00	—	9500.00	10225.00
FAB (TPP)	25 - 35 HP	—	—	9940.00	10695.00
FAB (TPP)	40 HP	—	—	10390.00	11160.00
BCFA (TPP)	15 HP	8780.00	—	—	—
BCFA (TPP)	20 HP	9070.00	—	—	—
BCFA (TPP)	25 - 35 HP	—	—	10160.00	10940.00
BCFA (TPP)	40 HP	—	—	10650.00	11445.00

All the above Models are without Preventors.

For Control Unit with BSA (TPP) / BCFA with Preventor Rs. 1500/- will be charged extra.

For Control Unit BOI (TPP) / BCFA with Preventor : Rs. 1390/- will be charged extra.

Rs. 215/- Per KVAR will be charged extra, if required.

Minimum Packing - 1 Pc.



AIR BREAK SEMI AUTOMATIC STAR DELTA MOTOR CONTROL PANEL

TYPE : BADC 415 V, AC, 3 PHASE 50Hz (15 HP to 50 HP) **HSN CODE : 85371000**

H.P.	15	20	25	30	35	40	50
RELAY AMPS.	14 - 23	14 - 23	20 - 33	20 - 33	30 - 50	30 - 50	45 - 75
HP							PRICE/UNIT (RS.)
15 HP / 20 HP							10485.00
25 HP / 30 HP							10840.00
35 HP / 40 HP							13535.00
50 HP							19415.00

Minimum Packing - 2 Pcs.



AIR BREAK DIRECT-ON-LINE AUTOMATIC MOTOR CONTROL PANEL WITH

SINGLE PHASING PROTECTION TYPE : BADL 415 V, AC, 3 PHASE 50Hz (10 HP to 35 HP) **HSN CODE : 85371000**

H.P.	10	15	20 - 25	30 - 35
RELAY AMPS.	14 - 23	20 - 33	30 - 50	45 - 75
HP				PRICE/UNIT (RS.)
10 HP				8065.00
15 HP				8390.00
20 HP / 25 HP				8715.00
30 HP / 35 HP				11160.00

Minimum Packing - 4 Pcs.




AIR BREAK SEMI AUTOMATIC STAR DELTA MOTOR STARTERS

TYPE : KADS 415 V, AC, 3 PHASE 50Hz (15 HP to 50 HP) **HSN CODE : 85369010**

H.P.	15	20	25	30	35	40	50
RELAY AMPS.	14 - 23	14 - 23	20 - 33	20 - 33	30 - 50	30 - 50	45 - 75
HP							PRICE/UNIT (RS.)
15 HP / 20 HP							8280.00
25 HP / 30 HP							8600.00
35 HP / 40 HP							11290.00
50 HP							17205.00

For Preventor Rs. 1390/- will be charged extra.
Minimum Packing - 2 Pcs.



AIR BREAK DIRECT-ON-LINE AUTOMATIC MOTOR STARTERS

TYPE : KADL 415 V, AC, 3 PHASE 50Hz (10 HP to 25 HP) **HSN CODE : 85369010**

H.P.	10	15	20	25
RELAY AMPS.	14 - 23	20 - 33	30 - 50	30 - 50
HP				PRICE/UNIT (RS.)
10 HP				5810.00
15 HP				6130.00
20 HP / 25 HP				6780.00

For Preventor Rs. 1390/- will be charged extra.
Minimum Packing - 4 Pcs.




AIR BREAK DIRECT-ON-LINE MOTOR CONTROL PANEL WITH SINGLE PHASING

PREVENTOR (Auto/Bypass Switch) TYPE : SMC-3 TP 415 V AC 3 Phase 50 Hz (3 HP to 15 HP) **HSN CODE : 85371000**

H.P.	3	5	7.5	10
RELAY AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21
HP				PRICE/UNIT (RS.)
3 HP / 5 HP / 7.5 HP				4060.00
10 HP				4505.00
15 HP				5125.00

Minimum Packing - 4 Pcs.



58



SMC-3 SD



AIR BREAK STAR DELTA MOTOR CONTROL PANEL WITH SINGLE PHASING PROTECTION TYPE : SMC-3 SD 415 V AC 3 Phase 50 Hz (5 HP to 30 HP)

H.P.	5	7.5	10	15	20	20	25	30
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32

HP	PRICE/UNIT (RS.)
UPTO 15 HP	5665.00
20 HP (13-21 RR)	7120.00
20 HP (20-32 RR)	7260.00
25 HP / 30 HP	7735.00

Minimum Packing - 4 Pcs.

59



SMC-3 (SP)



AIR BREAK SINGLE PHASE MOTOR CONTROL PANEL WITH CONTACTOR & MCB-SP TYPE : SMC-3 (SP) (1HP to 3HP) 240V AC 50 Hz

HSN CODE : 85371000

HP	PRICE/UNIT (RS.)
1.0 HP	2665.00
1.5 HP	2830.00
2.0 HP	3240.00
3.0 HP	3650.00

Minimum Packing - 10 Pcs.

60



S.P. PREVENTOR BAP (SD)

61



S.P. PREVENTOR BAPSD (N)

62



BAP-M



SINGLE PHASING PREVENTOR SINGLE PHASING PREVENTOR WITH AUTOMATIC OPERATION

HSN CODE : 90328990

Sensing Negative Sequence Voltage Components Protection against Single Phasing, Reverse Phasing, Unbalanced Voltage, Under Voltage & Over voltage condition

TYPE	PRICE/UNIT (Rs.)
TYPE : BAP	1380.00
TYPE : BAP (SD)	1500.00
TYPE : BAPSD (N)	1390.00
TYPE : BAP (M)	1190.00
TYPE : ADP (DC Preventor) {for BADC Panels}	1390.00

63



CHANGE OVER SWITCHES KNIFE TYPE



CHANGE OVER SWITCH (FOUR POLE KNIFE TYPE WITH OFFLOAD FIBRE GLASS STRIP) WITH SHEET METAL ENCLOSURE, SIDE HANDLE OPERATED TYPE : BCO (Confirming to IS : 13947 (Part-3) 1993 - IEC 947 (Part-3))

HSN CODE : 85365090

Cat.	Ref.	Amps.	Poles	Volts	Price/Unit (Rs.)	Type	MIN. PKG.
BCO	100	100	FP	415	8430.00	Knife Type	1
BCO	200	200	FP	415	11085.00	Knife Type	1
BCO	300	300	FP	415	15765.00	Knife Type	1
BCO	400	400	FP	415	20525.00	Knife Type	1
BCO	600	600	FP	415	38050.00	Knife Type	1
BCO	800	800	FP	415	53965.00	Knife Type	1
BCO	1000	1000	FP	415	67045.00	Knife Type	1
BCO	1500	1500	FP	415	169050.00	Knife Type	1
BCO	2000	2000	FP	415	245025.00	Knife Type	1



CHANGE OVER SWITCHES (DOUBLE POLE/FOUR POLE) WITH SHEET METAL ENCLOSURE PORCELAIN TYPE, SIDE HANDLE OPERATED

TYPE : BDO+BCO (Confirming to IS : 13947 (Part-3) 1993 - IEC 947 (Part-3))

HSN CODE : 85365090

Cat.	Ref.	Amps.	Poles	Volts	Price/Unit (Rs.)	Type	MIN. PKG.
BDO	32	32	DP	240	1300.00	Porcelain Type U-Type	6
BDO	63	63	DP	240	3275.00	Porcelain Type U-Type	6
BCO	32	32	FP	415	2150.00	Porcelain Type U-Type	4
BCO	63	63	FP	415	4290.00	Porcelain Type U-Type	2
BCO	100	100	FP	415	7845.00	Porcelain Type U-Type	1



64

CHANGE OVER SWITCHES



DOUBLE/TRIPLE POLE/TRIPLE POLE WITH NEUTRAL, SIDE HANDLE OPERATED REWIRABLE MAIN SWITCHES IN SHEET METAL ENCLOSURE TYPE : BSP/BSG

(Confirming to IS :13947 (Part 3) 1993-IEC 947 (Part 3))

HSN CODE : 85365090

Type	Ref.	Amps.	Poles	Volts	Price/Unit (Rs.)	MIN. PKG.
BSP	32	32	DP	240	930.00	6
BSG	16	16	TP	415	1050.00	6
BSG	16 N	16	TP & N	415	1060.00	6
BSG	32	32	TP	415	1415.00	4
BSG	32 N	32	TP & N	415	1440.00	4
BSG	63	63	TP	415	3035.00	1
BSG	63 N	63	TP & N	415	3100.00	1
BSG	100	100	TP	415	5680.00	1
BSG	100 N	100	TP & N	415	5760.00	1
BSG	200	200	TP	415	8150.00	1
BSG	200 N	200	TP & N	415	8280.00	1
BSG	300	300	TP	415	11380.00	1
BSG	300 N	300	TP & N	415	11545.00	1



65

MAIN SWITCHES



BUS BAR CHAMBERS 3 PHASE 4 BAR HEAVY DUTY COPPER BAR

HSN CODE : 85369030

Type	Amps.	Volts	Price/Unit (Rs.)	MIN. PKG.
BB	63	415	2610.00	2
BB	100	415	3460.00	2
BB	200	415	6530.00	1



66

BUS BAR



DOUBLE BREAK COMBINATION FUSE SWITCH UNIT FOR HRC FUSE (without HRC Fuse) TPN, SIDE HANDLE OPERATED WITH SHEET METAL ENCLOSURE

TYPE : BSF (Confirming to IS :13947 (Part 3) 1993-IEC 947 (Part 3))

HSN CODE : 85365090

Type	Amps.	Volts	Price/Unit (Rs.) (without HRC Fuse)	MIN. PKG.
BSF	100	415	9180.00	1
BSF	200	415	12200.00	1
BSF	300	415	13080.00	1
BSF	400	415	16220.00	1
BSF	600	415	19745.00	1
BSF	800	415	27415.00	1



67

DOUBLE BREAK FUSE SWITCH

CEILING FAN

IS:374-1979



HSN CODE : 84145120



Product Name	Sweep	Colour	PRICE / UNIT (Rs.)
DYNAMIC	24" (600 mm)	(High Speed Four Blades) White & Mat-Brown	1620.00
HIFLOW	36" (900 mm)	White & Brown	1640.00
HIFLOW	42" (1050 mm)	White & Brown	1660.00
WINSOME	48" (1200 mm)	White, Brown & Ivory	1720.00
WINSOME	56" (1400 mm)	White & Brown	2115.00
GOLD-AIR	48" (1200 mm)	White, Ivory & Mat Brown	1850.00
PRIMA	48" (1200 mm)	White, Ivory & Mat Brown	1950.00
PRIMA PS-50 (5 Star)	48" (1200 mm)	White & Mat Brown	2225.00
PRIMA	56" (1400 mm)	White & Mat Brown	2255.00
MARVEL-STAR	48" (1200 mm)	White, Ivory & Mat Brown	2200.00
GRACIA	48" (1200 mm)	White, Ivory & Mat Brown	2225.00
SALCON	48" (1200 mm)	Silver Blue, Pearl Ivory & Beige Brown	2450.00
ACURA	48" (1200 mm)	Brown, Ivory & Golden	2520.00
ERA	48" (1200 mm)	Super White & Brown	2550.00
SAMRAT	48" (1200 mm)	Mat Silver Blue & Mat Beige Brown	2720.00
ROYAL TOUCH	48" (1200 mm)	Golden-Mist, Bronze Copper, Pearl Ivory-Gold	2965.00

Minimum Packing - 4 Pcs.



AC CEILING FAN REGULATOR

HSN CODE : 84149030

MODEL	PRICE/UNIT (RS.)
Electronic Fan Regulator (4 Steps) Switch Type, Full Rotation	170.00
Electronic Fan Regulator (5 Steps) Socket Type, Full Rotation	200.00


BLDC (ENERGY SAVING) CEILING FAN

HSN CODE : 84145120

PRODUCT NAME	SWEEP	COLOUR	PRICE / UNIT (Rs.)	
			SOLOMAX	SUNGOLD DECORATIVE FAN
BLDC CEILING FAN SOLAR 12 VOLT D.C.	48" (1200 mm)	White, Mat-Brown and Ivory	3300.00	3470.00
BLDC CEILING FAN WITH (230V AC/12V DC) ADAPTER (for AC & DC supply both)	48" (1200 mm)	White, Mat-Brown and Ivory	4800.00	4970.00
ENERGY EFFICIENT ELECTRIC BLDC CEILING FAN. 230V, 50Hz AC SUPPLY WITHOUT REMOTE	48" (1200 mm)	White, Mat-Brown and Ivory	4700.00	4870.00
	56" (1400 mm)	White, Mat-Brown and Ivory	4950.00	5120.00
ENERGY EFFICIENT ELECTRIC BLDC CEILING FAN. 230V, AC SUPPLY WITH REMOTE	48" (1200 mm)	White, Mat-Brown and Ivory	5050.00	5220.00
	56" (1400 mm)	White, Mat-Brown and Ivory	5200.00	5370.00

Minimum Packing - 4 Pcs.

78




SOLAR 12V BLDC CEILING FAN

79



ENERGY EFFICIENT BLDC 30W FAN

80



ENERGY EFFICIENT BLDC REMOTE CONTROL FAN

SELF PRIMING MONO BLOCK PUMP SET (All Aluminium Body) 220V, AC 50 Hz

HSN CODE : 84133030

RANGE/MODEL	PERFORMANCE DATA	PRICE/UNIT (Rs.)	MIN. PKG.
0.5 HP FANTOM	Total Head : 90 ft / 27 mts. Max. Disch. : 2400 LPH	4110.00	2
0.5 HP REGULAR	Total Head : 100 ft / 30 mts. Max. Disch. : 2700 LPH	4540.00	2
1.0 HP EXTRA FLOW	Total Head : 120 ft / 36 mts. Max. Disch. : 3050 LPH	4845.00	2
1.0 HP FANTOM	Total Head : 140 ft / 42 mts. Max. Disch. : 2900 LPH	5645.00	2
1.0 HP REGULAR	Total Head : 160 ft / 48 mts. Max. Disch. : 3200 LPH	7115.00	1
1.0 HP SHALLOW WELL SUPER SUCTION	Suction Lift : 28 ft / 8.5 mts. Total Head : 100 ft / 30 mts. Max. Disch. : 4000 LPH	8710.00	1

81



MONO BLOCK PUMP

AC SINGLE PHASE INDUCTION MOTOR 220V, 50 Hz

HSN CODE : 85014090

POWER HP/KW	RPM	PRICE/UNIT (Rs.)	MIN. PKG.
2.0 HP / 1.5 KW	1440	11630.00	1
3.0 HP / 2.25 KW	1440	15775.00	1

82



INDUCTION MOTOR

83



UP TO 40 A



B TYPE (L SERIES)
MINIATURE CIRCUIT BREAKERS (M.C.B.) 240/415V A.C. 50Hz



HSN CODE : 85362030

CURRENT RATING	TYPE B (L SERIES)			PRICE/UNIT (Rs.)		
	SP	SPN	DP	TP	TPN	FP
6A-32A	110.00	260.00	294.00	423.00	578.00	607.00
40A	157.00	315.00	367.00	583.00	724.00	759.00

84



TINY TRIP

HSN CODE : 85362030

Tiny Trip (6A-32A)	110.00	294.00
--------------------	--------	--------

85



UP TO 100 A




C TYPE (G SERIES)
MINIATURE CIRCUIT BREAKERS (M.C.B.) 240/415V A.C. 50Hz



HSN CODE : 85362030

CURRENT RATING	TYPE C (G SERIES)			PRICE/UNIT (Rs.)		
	SP	SPN	DP	TP	TPN	FP
0.5A	143.00	339.00	367.00	490.00	675.00	691.00
6A-32Amp	117.00	281.00	314.00	451.00	627.00	642.00
40Amp	166.00	353.00	402.00	607.00	779.00	794.00
50 & 63Amp	310.00	680.00	710.00	1087.00	1371.00	1403.00
80A-100Amp	696.00	-	1538.00	2301.00	-	3223.00

86



ISOLATOR




ISOLATORS (240/415 V, AC, 50 Hz)

PRICE/UNIT (Rs.)

HSN CODE : 85362030

RATING AMPS.	TYPE	SINGLE POLE	DOUBLE POLE	TRIPLE POLE	FOUR POLE
40 Amp	B1-40	110.00	225.00	343.00	446.00
63 Amp	B1-63	128.00	260.00	383.00	514.00
100 Amp	BE(DS)-100	176.00	362.00	549.00	729.00

87



CHANGE OVER



CHANGE OVER (240/415 VOLTS, AC 50 Hz)

HSN CODE : 85369010

RATING AMPS	Type	PRICE/UNIT (Rs.)	
		Double Pole	Four Pole
25 A - 40 A	BL (C/O)-40	530.00	1325.00
63A	BL (C/O)-63	570.00	1450.00

88



DISTRIBUTION BOARDS: PLASTIC ENCLOSURE WITH DIN CHANNEL
SUITABLE FOR INCORPORATING LINGER MCBs.

HSN CODE : 85371000

Type	No. of Ways	Price/Unit (Rs.)
BL-P	1 or 2 (0.5 A - 63 A)	45.00
BL-P	3 or 4 (0.5 A - 63 A)	90.00

SHEET STEEL DISTRIBUTION BOARDS FOR INCORPORATING LINGER MCBs.

HSN CODE : 85371000

Type	Price/unit (Rs.)	Type	Price/Unit (Rs.)
BSS 1 or 2 Ways	175.00	BT 4 Ways (TPN)	1540.00
BSS 3 or 4 Ways	245.00	BT 6 Ways (TPN)	1905.00
BS 4 Ways (SPN)	430.00	BT 8 Ways (TPN)	2280.00
BS 6 Ways (SPN)	470.00	BT 12 Ways (TPN)	2550.00
BS 8 Ways (SPN)	535.00		
BS 12 Ways (SPN)	645.00		
BS 16 Ways (SPN)	825.00		



89

DISTRIBUTION BOARDS

PLUG AND SOCKET IN SHEET STEEL ENCLOSURE WITHOUT MCBs.

HSN CODE : 85366910

TYPE	RATING	AMP.	VOLTS	PRICE/UNIT (Rs.)
BPSD	SP	10 A	250	520.00
BPSD	SP	20 A	250	570.00
BPSD	TP	20 A	415	925.00
BPSD	TP	30 A	415	1290.00



90

PLUG & SOCKET WITH SHEET STEEL ENCLOSURE

PLUGS & SOCKETS METAL CLAD

HSN CODE : 85366910

RATING	VOLTS	PLUG PRICE (RS.)	SOCKET PRICE (RS.)	SET PRICE (Rs.)
DP 10 A	250	115.00	115.00	225.00
DP 20 A	250	135.00	135.00	270.00
TP 20 A	250	185.00	185.00	370.00
TP 32 A	250	330.00	330.00	655.00



91

PLUG & SOCKET

MOULDED CASE CIRCUIT BREAKERS TYPE : MCCB

HSN CODE : 85362020

TYPE	AMPS	POLE	BREAKING CAPACITY 230V/415V	PRICE (Rs.)
BM-100	50, 60, 75, 100	DP	25 KA / 10 KA	1635.00
BM-100	50, 60, 75, 100	TP	25 KA / 10 KA	1860.00
BM-250	125 to 250	TP	25 KA / 15 KA	5275.00
BM-400	300, 400	TP	35 KA / 22 KA	13635.00
BM-600	500, 600	TP	42 KA / 30 KA	23080.00
BM-800	700, 800	TP	42 KA / 30 KA	28925.00
BM-100	100	FP	35 KA / 25 KA	3105.00
BM-250	125 to 250	FP	35 KA / 25 KA	8725.00
BM-400	300, 350, 400	FP	35 KA / 22 KA	22000.00
BM-600	500, 600	FP	42 KA / 30 KA	38000.00
BM-800	700, 800	FP	42 KA / 30 KA	48000.00

Adjustable: Current adjustment 80%



92

MCCB

93




RCCB / ELCB

94



RCCB / ELCB

95



MCB + ELCB

96



97



98



ENERGY METER

99



100



RESIDUAL CURRENT CIRCUIT BREAKERS ELECTRO MECHANICAL (RCCB/ELCB)

HSN CODE : 85362040

CURRENT RATING	DOUBLE POLE PRICE (Rs.)		FOUR POLE PRICE (Rs.)	
	30mA/100mA/300mA		30mA/100mA/300mA	
16 A	1205.00		1650.00	
25 A	1245.00		1690.00	
32 A	1280.00		1745.00	
40 A	1335.00		1830.00	
63 A	1405.00		1965.00	
100 A	1675.00		2840.00	
Enclosure Plastic	60.00		125.00	



EARTH LEAKAGE CIRCUIT BREAKER WITH MINIATURE CIRCUIT BREAKER (MCB+ELCB)

HSN CODE : 85362040

CURRENT RATING	DOUBLE POLE PRICE (Rs.)		FOUR POLE PRICE (Rs.)	
	30mA/100mA/300mA		30mA/100mA/300mA	
16 A	890.00		1455.00	
25 A	920.00		1455.00	
32 A	960.00		1520.00	
40 A	1015.00		1640.00	
63 A	1240.00		1910.00	
100 A	1845.00		3565.00	
Enclosure Plastic	125.00		240.00	



Range and Ratings of Single Phase AC Energy Meter, Accuracy Class 1.0



HSN CODE : 90283010

S. No.	DESCRIPTION OF THE ITEM	TYPE	RATING	PRICE
1	AC Single Phase Static Energy Meter with COUNTER DISPLAY	EM-124	5-20A	500.00
			10-40A	500.00
2	AC Single Phase Static Energy Meter with COUNTER DISPLAY	EM-126	5-30A	500.00
3	AC Single Phase Static Energy Meter with LCD DISPLAY	EM-124	5-20A	750.00
			10-40A	750.00
4	AC Single Phase Static Energy Meter with LCD DISPLAY	EM-126	5-30A	750.00
			10-60A	880.00
5	AC Single Phase Mini Multi Function Energy Meter	EM-124	5-20A	1060.00
			10-40A	1060.00
6	AC Single Phase Multi Function Energy Meter	EM-126	5-30A	1060.00
			10-60A	1160.00

Minimum Packing - 24 Pcs.



AC Three Phase Energy Meter Range

Minimum Packing - 12 Pcs.

1	AC Three Phase Static Energy Meter with COUNTER DISPLAY	BLSM-T-44	10-40A	1775.00
		EM-346	10-60A	1970.00
2	AC Three Phase Static Energy Meter with LCD DISPLAY	BLSM-T-44	10-40A	2020.00
		EM-346	10-60A	2325.00



Digital Volt - Amp. Meter

HSN CODE : 90283010

Minimum Packing - 12 Pcs.

1	VA Digital Panel Meter 72 x 72 mm for measurement of instantaneous Voltage and Current (with Double Display)	Volts Amps	125V to 400V 2A to 100A	660.00
2	VA Digital Panel Meter 96 x 96 mm for measurement of instantaneous Voltage & Current (with Double Display)	Volts Amps	125V to 550V 2A to 100A	860.00

O U R P R O D U C T R A N G E

MOTOR STARTERS, SWITCHGEARS



BOI



BSA



BSOI



SSD



BSD



BSDL




SDM



S.P. PREVENTOR



L.T. CONTROL SWITCH (32 A.)



REVERSING SWITCH



MAIN SWITCH



CHANGE OVER SWITCHES KNIFE TYPE

MOTOR CONTROL PANELS



BSA (EN)



BOI (EN)



BADC



SMC-3 TP

MCB, RCCB+ELCB, MCCB, METER, MONO BLOCK, FAN, INDU. MOTOR



MCB



RCCB / ELCB



ISOLATOR



MCCB



ENERGY METER



MONO BLOCK PUMP



CEILING FAN SALCON



INDUCTION MOTOR



खरीदने से पहले अवश्य देखिये



KAPIL

HOLOGRAM
और STICKER को
ध्यान से देखकर ही खरीदें



पचास साल से
आपकी
दमदार पसन्द

KAPIL CHOPRA
Chairman & MD

MUST SEE BEFORE
PURCHASE
असली
SKN-BENTEX
की पहचान

GENERAL TERMS & CONDITIONS:

Prices are subject to change without notice and those ruling at the time of despatch will be applicable.

All products are guaranteed for 6 months against any manufacturing defects.

This Price list supercedes all previous price lists.

Prices of other spares will be sent on demand.

Prices are inclusive of GST.

Prices are F.O.R. Delhi.

For trade and technical enquiries regarding our products and their availability in different region of the Country and World over please write to our Marketing Manager.

AUTHORISED DEALER/DISTRIBUTOR :

BENTEX CONTROL & SWITCHGEAR CO.

B-65/3, Naraina Industrial Area, Phase-II, New Delhi-110028
E-mail: contact@sknbentex.co.in Web: www.sknbentex.co.in
Consumer Help Line No.: 011-45698100 (30 Lines) 011-43138100
Toll Free No.: 180030008244

SKN-BENTEX GROUP

A-8, Naraina Industrial Area, Phase-II, New Delhi-110028
E-mail: contact@sknbentex.co.in Web: www.sknbentex.co.in
Consumer Help Line No.: 011-45698100 (30 Lines) 011-43138100
Toll Free No.: 180030008244