



KAPIL



*"Buy Local ...
Make India Global"*



PRICE LIST w.e.f. 17th December, 2020



*Over 50 Years
of Unmatched Quality Products*



ISO 9001-2015 CERTIFIED CO.





“The beginning
of the new era
Challenging
ourselves to become
the global leader”

Kapil Chopra

Chairman & MD

President & Chief Patron:
Apex Chamber of Commerce & Industry

WE ARE A SHINING EXAMPLE IN THE INDUSTRY

KAPIL BENTEX-SKN products are at the forefront of innovation in the field of electrical devices with latest International design and technology. SKN-BENTEX Group has a rich history of success, which has been achieved through enterprise, endeavors, dedication, team work and sincerity of pride in result oriented performance. Our single motto is to manufacture quality product and ensure total customer satisfaction. The group companies have adopted International Standard and have been certified for ISO 9001-2015. Most of Product are ISI marked. Our products are being marketed all over India through 500 dealers network. The products are being exported to many countries across the world.

TABLE OF CONTENTS



S. No.	Items	Page No.
1.	Air Break Motor Starters	2
2.	Overload Relays, Air Break AC Contactors & AC Contactors with DC Operating Coil	3
3.	Amp./ Volt Meters & Kit Set for Oil Immersed Motor Starters	4
4.	Oil King Series: Oil Immersed Motor Starters, BOI (SP) & Motor Starter Oil	5
5.	Oil Immersed Motor Starters, Auto Transformer Oil Immersed Motor Starters, L.T. Oil Circuit Breakers & L.T. Control Switches	6-10
6.	Oil Immersed Submersible Control Panels : BSBP, BOI(SPP) & Oil Immersed Submersible Control Panels : EN Series & TPP Series	11-12
7.	Air Break Motor Control Panels, Air Break Motor Starters & Single Phasing Preventors	13-15
8.	Change Over Switches (Four Pole Knife Type), Main Switches Change Over Switches (DP / FP) & Bus Bar	16
9.	Double Break Fuse Switches, Capacitors, KVAR, PVC Insulating Adhesive Tape & Digital Volt / Amp. Meter	17
10.	Ceiling Fans, Regulators & Fresh Air Fans	18
11.	BLDC Energy Saving Ceiling Fans & Solar 12 V DC Fans (Table/Wall/Pedestal)	19
12.	AC Fans (Table/Wall/Pedestal), Ventilation and Industrial Exhaust Fans, Mono Block Pumps & Induction Motors	20
13.	M.C.Bs., M.C.Bs. Changeover & M.C.Bs. Distribution Boards Plastic Enclosure Sheet Steel Distribution Boards, Plug & Sockets,	21-22
14.	MCCBs, RCCB/ELCB & MCB+ELCB	23
15.	Energy Meters	24

1



BDL



AIR BREAK DIRECT-ON-LINE MOTOR STARTERS

TYPE : BDL (0.25 HP to 10 HP)

HSN CODE : 85369010

RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
0.25, 0.5, 1, 2, 3 H.P. (Single Phase)	1485.00	12
1, 2, 3, 5, 7.5 H.P. (Three Phase)	1485.00	12
10 H.P. (Three Phase)	1595.00	12

2



SDM (S-CLASS)



AIR BREAK MANUALLY OPERATED STAR-DELTA MOTOR STARTERS

TYPE : SDM (3 HP to 35 HP)

HSN CODE : 85369010

RANGE	SDM (S) PRICE/UNIT (Rs.)	MIN. PKG.
3, 5, 7.5, 10 H.P.	3305.00	4
12.5, 15, 17.5, 20 H.P.	3450.00	4
22.5, 25 H.P.	3540.00	4
30 H.P.	3690.00	4
35 H.P.	3810.00	4

3



BU (DOL)



AIR BREAK DIRECT-ON-LINE MOTOR STARTERS

TYPE : BU (DOL) (7.5 HP to 20 HP)

HSN CODE : 85369010

RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
7.5, 10 HP	3730.00	8
15 HP	3840.00	8
20 HP	4235.00	8

4



BSDL



AIR BREAK DIRECT-ON-LINE MOTOR STARTERS

TYPE : BSDL (0.25 HP to 15 HP)

HSN CODE : 85369010

RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
0.25 To 3 HP (Single Phase)	1880.00	12
1 to 7.5 HP (Three Phase)	1880.00	12
10 HP (Three Phase)	2085.00	12
15 HP (Three Phase)	2745.00	12

5



BSDLSA/
BSDLFA



SEMI/FULLY AUTOMATIC AIR BREAK STAR DELTA MOTOR STARTERS

TYPE : BSDLSA, BSDLFA, BSDLFA (P) (3 HP to 20 HP)

HSN CODE : 85369010

DESCRIPTION	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
Semi-Automatic Air Break Star-Delta Motor Starter TYPE : BSDLSA	3 TO 15 HP	4850.00	2
	20 HP	5670.00	
Fully Automatic Air Break Star-Delta Motor Starter TYPE : BSDLFA	3 TO 15 HP	5595.00	2
	20 HP	6415.00	

For Preventor Rs. 1500/- will be charged extra.



THERMAL OVERLOAD RELAYS FOR AIR BREAK STARTERS (BSDL SERIES)

HSN CODE : 85363000

DESCRIPTION	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
Thermal Over load Relay	(up to 9 to 14 A)	740.00	12
Thermal Over load Relay	13-21 Amp.	875.00	12
Thermal Over load Relay	20-32 Amp.	945.00	12



THERMAL OVERLOAD RELAYS FOR AIR BREAK CONTACTORS ALSO SUITABLE FOR BADC/BADL

HSN CODE : 85363000


RELAYS	RANGE	PRICE/UNIT (Rs.)	MIN. PKG.
	13 - 20 A	1025.00	20
	20 - 32 A	1140.00	20
	30 - 40 A	1300.00	20
	40 - 50 A	1440.00	20
	50 - 60 A	1575.00	20
	55 - 65 A	1710.00	20
	60 - 70 A	1855.00	20



AIR BREAK CONTACTORS (BSDL SERIES)

HSN CODE : 85363000

Air Break Contactor (BSDL) Series	16 Amp	910.00	12
Air Break Contactor (BSDL) Series	25 Amp	1130.00	12



AIR BREAK AC CONTACTORS SINGLE PHASE DOUBLE POLE

TYPE : SMC-SP 220V 50 Hz

HSN CODE : 85363000

AC Contactor Single Phase upto 25 Amp		670.00	20
---------------------------------------	--	--------	----



AIR BREAK THREE POLE CONTACTORS WITH DC OPERATING COIL (SUITABLE FOR AIR BREAK SUBMERSIBLE CONTROL PANELS BADC/BADL)

HSN CODE : 85363000

DC CONTACTOR	32 A	2610.00	20
(3 Phase, 415V, 50 Hz)	50 A	3345.00	20
	63 A	3775.00	20



THERMAL OVERLOAD RELAYS FOR BU SERIES (BU) Three Phase 415V AC 50Hz

HSN CODE : 85363000

BU Relay	(up to 9 to 14 A)	1030.00	12
BU Relay	13-21 Amp.	1085.00	12
BU Relay	20-32 Amp.	1260.00	12
BU Relay	28-42 Amp.	1315.00	12



AIR BREAK CONTACTORS BU SERIES (BU) Three Phase 415V AC 50Hz

HSN CODE : 85363000

BU 1 Contactor	16 A	2170.00	20
BU 2 Contactor	25 A	2285.00	20
BU 3 Contactor	32 A	2690.00	20
BU 4 Contactor	40 A	3735.00	20



13



AMP METER



AMP METER

Price/Unit (Rs.)
HSN CODE : 90303310

Range	Round Projection		Round Flush			Round Pedestal		Square Flush		
	4"	6"	2.5"	4"	6"	4"	6"	72 mm	96 mm	144 mm
0-1 to 0-50 A	305.00	420.00	140.00	330.00	475.00	345.00	535.00	235.00	420.00	535.00
0-60 to 0-100 A	370.00	475.00	165.00	390.00	540.00	380.00	575.00	240.00	470.00	575.00
0-150, 0-200 A	395.00	550.00	—	420.00	575.00	475.00	645.00	—	550.00	660.00
0-250, 0-300 A	440.00	585.00	—	475.00	615.00	475.00	695.00	—	590.00	705.00
0-400 A	520.00	670.00	—	555.00	705.00	555.00	795.00	—	670.00	795.00
0-500 A	590.00	730.00	—	640.00	755.00	640.00	880.00	—	730.00	850.00

Minimum Packing - 60 Pcs.

14



VOLT METER



VOLT METER

Price/Unit (Rs.)
HSN CODE : 90303310

Range	Round Projection		Round Flush			Round Pedestal		Square Flush		
	4"	6"	2.5"	4"	6"	4"	6"	72 mm	96 mm	144 mm
0-10 to 0-60V	270.00	420.00	140.00	295.00	475.00	300.00	525.00	220.00	420.00	550.00
0-75 to 0-300V	310.00	475.00	165.00	350.00	485.00	345.00	575.00	260.00	465.00	555.00
0-500 to 0-600V	350.00	550.00	195.00	420.00	575.00	420.00	660.00	285.00	550.00	660.00

Minimum Packing - 60 Pcs.

15



KIT SET



KIT SETS SUITABLE FOR BOI/BSA/FAB/ BCSA/BCOI/BSOI & BMD

HSN CODE : 85389000

DESCRIPTION	PRICE (Rs.)	PER SET
Kit Set Upto 15 HP (Type A)	305.00	3 Moving + 6 Fix Contacts
Kit Set Upto 20 HP to 35 HP (Type B)	365.00	3 Moving + 6 Fix Contacts
Extra Long Life Kit upto 40 HP (Type C)	845.00	3 Moving + 6 Fix Contacts
Kit Set Heavy Duty (Type D)	315.00	3 Moving + 6 Fix Contacts
Kit Set 2001 (Type E)	365.00	3 Moving + 6 Fix Contacts
Kit Set EHD (Type F) only for Old Starters	415.00	3 Moving + 6 Fix Contacts
Kit Set BSA(W)	435.00	3 Moving + 6 Fix Contacts
Kit Set BSA(H)	540.00	3 Moving + 6 Fix Contacts
BSA (S) 50 HP-60 HP Kit Set Extra Long Life	4050.00	3 Moving + 6 Fix Contacts
BCSA 15 HP-35 HP Kit Set	515.00	3 Moving + 6 Fix Contacts
BCSA 40 HP Kit Set	685.00	3 Moving + 6 Fix Contacts
BCSA 50 HP Copper Kit Set	1350.00	3 Moving + 6 Fix Contacts
BCOI Kit Set (3 X 6)	580.00	3 Moving + 6 Fix Contacts
BSOI Kit Set (3 X 6)	515.00	3 Moving + 6 U Contacts
BMD Kit Set (4 X 5 X 3)	655.00	4 Moving + 5 U Contacts + 3 Fix Contacts

Minimum Packing - 300 Pcs.



OIL KING DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS

TYPE : BOI-K 400 V, Three Phase, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY/MOTOR AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	3	5	7.5	10	15	20

PRICE UNIT Rs.

BOI-K

3/5/7.5 H.P.	Rs. 2585.00
10/12.5/15 H.P.	Rs. 2785.00
20 H.P.	Rs. 2935.00

*Oil Tank Capacity - 1.5 Ltr.
Minimum Packing - 8 Pcs.*



OIL KING SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS SHEET METAL BODY WITH IMPROVED TECHNOLOGY

TYPE : BSA-K 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

BSA-K

5/7.5/10/12.5/15 H.P.	Rs. 6025.00
20 H.P.	Rs. 6410.00
25/30/35 H.P.	Rs. 6795.00
40 H.P.	Rs. 7285.00

*Oil Tank Capacity - 3.5 Ltr.
Minimum Packing - 4 Pcs.*



OIL KING FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS SHEET METAL BODY WITH IMPROVED TECHNOLOGY

TYPE : FAB-K 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

FAB-K

5/7.5/10/12.5/15 H.P.	Rs. 6755.00
20 H.P.	Rs. 7140.00
25/30/35 H.P.	Rs. 7525.00
40 H.P.	Rs. 8015.00

*Oil Tank Capacity - 3.5 Ltr.
Minimum Packing - 4 Pcs.*



SINGLE PHASE DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS

TYPE : BOI (SP) 220 V, Single Phase, 50 Hz, AC (1 HP to 10 HP)

HSN CODE : 85369010

RELAY/MOTOR AMPS.	6 - 10	9 - 14	13 - 21	13 - 21	25 - 35	30 - 42	42 - 54
H.P.	1	1.5	2	3	5	7.5	10

BOI (SP)

1/1.5/2/3 H.P.	Rs. 2545.00
5 H.P.	Rs. 2695.00
7.5 H.P.	Rs. 2820.00
10 H.P.	Rs. 3180.00

*Oil Tank Capacity - 1.5 Ltr.
Minimum Packing - 8 Pcs.*



MOTOR STARTER OIL FOR OIL IMMERSSED MOTOR STARTERS

HSN CODE : 27101990

DESCRIPTION	CAPACITY	PRICE/UNIT (Rs.)
Motor Starter Oil	1 Ltr	250.00 per Litre
<i>Minimum Packing - 24 Ltr.</i>		



21



BOI / BOI(W)
BOI(R)



DIRECT-ON-LINE OIL IMMERSED MOTOR STARTERS

TYPE : BOI / BOI(W) / BOI(R) 400 V, Three Phase, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY/MOTOR AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	3	5	7.5	10	15	20

	BOI	BOI(W) with Heavy Wide Copper Kits	with Extra Long Life Contact	BOI(R) Replaceable Compact Relay Unit
3/5/7.5 H.P.	Rs. 2585.00	Rs. 2650.00	Rs. 3195.00	Rs. 2975.00
10/12.5/15 H.P.	Rs. 2785.00	Rs. 2850.00	Rs. 3395.00	Rs. 3175.00
20 H.P.	Rs. 2935.00	Rs. 3000.00	Rs. 3545.00	Rs. 3325.00

Minimum Packing - 8 Pcs. **Oil Tank Capacity - 1.5 Ltr.**

22



BSA / BSA(W)
BSA(R)



SEMI AUTOMATIC STAR-DELTA OIL IMMERSED MOTOR STARTERS

TYPE : BSA / BSA(W) / BSA(R) 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

	BSA	BSA(W) with Heavy Wide Copper Kits	with Extra Long Life Contact	BSA(R) Replaceable Compact Relay Unit
5/7.5/10/12.5/15 H.P.	Rs. 6025.00	Rs. 6230.00	Rs. 7870.00	Rs. 6415.00
20 H.P.	Rs. 6410.00	Rs. 6615.00	Rs. 8255.00	Rs. 6800.00
25/30/35 H.P.	Rs. 6795.00	Rs. 7000.00	Rs. 8640.00	Rs. 7185.00
40 H.P.	Rs. 7285.00	Rs. 7490.00	Rs. 9130.00	Rs. 7675.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 3.5 Ltr.**

23



BSA(H)



SEMI AUTOMATIC STAR-DELTA OIL IMMERSED MOTOR STARTERS

TYPE : BSA(H) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	15	20	25	30	35	40

BSA(H)

15 H.P.	Rs. 6365.00
20 H.P.	Rs. 6745.00
25/35 H.P.	Rs. 7130.00
40 H.P.	Rs. 7625.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 3.5 Ltr.**

24



FAB / FAB(W)
FAB(R)



FULLY AUTOMATIC STAR-DELTA OIL IMMERSED MOTOR STARTERS

TYPE : FAB / FAB(W) / FAB(R) 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42
H.P.	5	7.5	10	15	20	25	30	35	40

	FAB	FAB(W) with Heavy Wide Copper Kits	with Extra Long Life Contact	FAB(R) Replaceable Compact Relay Unit
5/7.5/10/12.5/15 H.P.	Rs. 6755.00	Rs. 6960.00	Rs. 8600.00	Rs. 7145.00
20 H.P.	Rs. 7140.00	Rs. 7345.00	Rs. 8985.00	Rs. 7530.00
25/30/35 H.P.	Rs. 7525.00	Rs. 7730.00	Rs. 9370.00	Rs. 7915.00
40 H.P.	Rs. 8015.00	Rs. 8220.00	Rs. 9860.00	Rs. 8405.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 3.5 Ltr.**

All models of BOI, BSA, FAB can be supplied with "R" - means Replaceable Compact Relay Unit. Replaceable Relay (New Relay unit) will be provided in place of inbuilt relay (Old Relay unit). Only rate difference between both the relays will be charged and i.e. Rs. 390/-.

BOI with New Relay Unit is BOI(R), BSA with New Relay Unit is BSA(R) & FAB with New Relay Unit is FAB(R)



FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : FAB(H) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	15	20	25	30	35	40

FAB(H)

15 H.P.	Rs. 7095.00
20 H.P.	Rs. 7475.00
25/35 H.P.	Rs. 7860.00
40 H.P.	Rs. 8355.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 3.5 Ltr.**



DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS with Magnetic Dash Pot

Relay TYPE : BSOI 400 V, 50 Hz, AC (3 HP to 20 HP)

HSN CODE : 85369010

RELAY /MOTOR AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	3	5	7.5	10	15	20

BSOI

3/5/7.5/10 H.P.	Rs. 3325.00
15/20 H.P.	Rs. 3555.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 2 Ltr.**



DIRECT-ON-LINE OIL IMMERSSED MOTOR STARTERS with Thermal Relay

TYPE : BCOI 400 V, 50 Hz, AC (25 HP to 35 HP)

HSN CODE : 85369010

BCOI

25 H.P.	Rs. 3665.00
30 H.P.	Rs. 3895.00
35 H.P.	Rs. 6875.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 2 Ltr.**



SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS WITH IMPROVED TECHNOLOGY

TYPE : BCSA 400 V, Three Phase, 50 Hz, AC (5 HP to 60 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70	63-80	63-80	70-90	70-90
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42	38-48	38-48	42-54	42-54
H.P.	5	7.5	10	15	20	25	30	35	40	45	50	55	60

BCSA

BCSA HD

with extra long life contact

5/7.5/10/12.5/15 H.P.	Rs. 6525.00	---	
20 H.P.	Rs. 6910.00	---	
25/30/35 H.P.	Rs. 7295.00	Rs. 8115.00	
40 H.P.	Rs. 7785.00	Rs. 8605.00	
45/50 H.P.	---	Rs. 12055.00	Rs. 17235.00
55/60 H.P.	---	Rs. 12605.00	Rs. 17740.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 3.5 Ltr.**



FULLY AUTOMATIC STAR-DELTA OIL IMMERSSED MOTOR STARTERS WITH IMPROVED TECHNOLOGY

TYPE : BCFA 400 V, Three Phase, 50 Hz, AC (5 HP to 60 HP)

HSN CODE : 85369010

MOTOR CURRENT	6-10	10-17	10-17	15-24	22-35	33-54	33-54	33-54	50-70	63-80	63-80	70-90	70-90
RELAY AMPS.	4-6.5	6-10	6-10	9-14	13-21	20-32	20-32	20-32	30-42	38-48	38-48	42-54	42-54
H.P.	5	7.5	10	15	20	25	30	35	40	45	50	55	60

BCFA

BCFA HD

with extra long life contact

5/7.5/10/12.5/15 H.P.	Rs. 7255.00	---	
20 H.P.	Rs. 7640.00	---	
25/30/35 H.P.	Rs. 8025.00	Rs. 8845.00	
40 H.P.	Rs. 8515.00	Rs. 9335.00	
45/50 H.P.	---	Rs. 12785.00	Rs. 17965.00
55/60 H.P.	---	Rs. 13335.00	Rs. 18470.00

Minimum Packing - 4 Pcs. **Oil Tank Capacity - 3.5 Ltr.**



30



BMD



MANUALLY OPERATED STAR-DELTA OIL IMMERSSED MOTOR STARTERS

TYPE : BMD 400 V, Three Phase, 50 Hz, AC (5 HP to 40 HP)

HSN CODE : 85369010

MOTOR CURRENT	6 - 10	10 - 17	10 - 17	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	54 - 70
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	5	7.5	10	15	20	25	30	35	40

BMD

5/7.5/10/12.5/15 H.P.	Rs. 7005.00
20 H.P.	Rs. 7390.00
25/30/35 H.P.	Rs. 7775.00
40 H.P.	Rs. 8270.00

Minimum Packing - 2 Pcs. Oil Tank Capacity - 4 Ltr.

31



BSD



MANUALLY OPERATED STAR-DELTA OIL IMMERSSED MOTOR STARTERS

(HEAVY DUTY) TYPE : BSD 400 V, Three Phase, 50 Hz, AC (10 HP to 60 HP)

HSN CODE : 85369010

AMPS/RELAY MOTOR CURRENT	14 - 18	21 - 26	25 - 35	33 - 42	41 - 52	48 - 57	53 - 64	60 - 72	70 - 80	78 - 98
H.P.	10	15	20	25	30	35	40	45	50	60

BSD

10/15/20 H.P.	Rs. 13815.00
25/30/H.P.	Rs. 14940.00
35/40 H.P.	Rs. 16070.00
45/50/60 H.P.	Rs. 17105.00

Minimum Packing - 1 Pc. Oil Tank Capacity - 7 Ltr.

32



BAT



MANUALLY OPERATED AUTO TRANSFORMER OIL IMMERSSED MOTOR STARTERS

TYPE : BAT 400 V, Three Phase, 50 Hz, AC (10 HP to 60 HP)

HSN CODE : 85369010

AMPS MOTOR CURRENT	12 - 18	20 - 26	25 - 35	32 - 42	41 - 53	45 - 55	55 - 64	61 - 72	66 - 76	78 - 98
H.P.	10	15	20	25	30	35	40	45	50	60

BAT

10/15/20 H.P.	Rs. 43950.00
25/30/H.P.	Rs. 46255.00
35/40 H.P.	Rs. 53035.00
45/50 H.P.	Rs. 58895.00
55/60 H.P.	Rs. 63095.00

Minimum Packing - 1 Pc. Oil Tank Capacity - 14 Ltr.

33



BATFA



FULLY AUTOMATIC AUTO TRANSFORMER OIL IMMERSSED MOTOR STARTERS

TYPE : BATFA 400 V, Three Phase, 50 Hz, AC (10 HP to 60 HP)

HSN CODE : 85369010

AMPS MOTOR CURRENT	12 - 18	20 - 26	25 - 35	33 - 42	40 - 53	45 - 55	55 - 64	61 - 72	66 - 76	78 - 98
H.P.	10	15	20	25	30	35	40	45	50	60

BATFA

10/15/20 H.P.	Rs. 60990.00
25/30/H.P.	Rs. 63095.00
35/40 H.P.	Rs. 77820.00
45/50 H.P.	Rs. 110450.00
55/60 H.P.	Rs. 141990.00

Minimum Packing - 1 Pc. Oil Tank Capacity - 60 Ltr.

34



SSD



MANUALLY OPERATED OIL IMMERSSED STAR-DELTA MOTOR STARTERS

TYPE : SSD

HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Heavy Duty Oil Immersed	0 - 20 HP	13815.00
Manually Operated Star-delta Motor Starter	21 - 30 HP	14940.00
Type : SSD (Single Contact)	31 - 40 HP	16070.00
Type : SSD (E)	41 - 50 HP	17105.00

Minimum Packing - 1 Pc. Oil Tank Capacity - 8 Ltr.

HSN CODE : 85369010



MANUALLY OPERATED OIL IMMERSSED STAR-DELTA MOTOR STARTERS
TYPE : SSD-S Dx. AND SSD-THERMAL

Manually Operated Oil Immersed Star-Delta Motor Starter (With Single Contact) Type : SSD-S Dx Oil Tank Capacity - 10 Ltr.	Upto 20	17295.00
	21 - 30	19150.00
	31 - 40	20440.00
	41 - 60	21845.00
Manually Operated Oil Immersed Star-Delta Motor Starter (With Double Contact) Type : SSD-S. Dx Oil Tank Capacity - 10 Ltr.	41 - 60	31605.00
	61 - 80	33655.00
	81 - 100	37960.00
Heavy Duty with Double Contact Strip Wound Overload Coil & Cable Entry Box Type : SSD - S. Dx Oil Tank Capacity - 12 Ltr.	101 - 125	42280.00
	126 - 150	51915.00
	151 - 200	62170.00

Minimum Packing - 1 Pc.



OIL IMMERSSED MANUALLY OPERATED AUTO TRANSFORMER MOTOR STARTERS TYPE : SAT

HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Oil Immersed Manually Operated Auto Transformer Motor Starter (With Single Contact) Oil Tank Capacity - 60 Ltr.	Upto 20	66365.00
	21 - 30	71210.00
	31 - 40	79460.00
	41 - 60	96585.00
Heavy Duty with Double Contact & Strip Wound Overload Coil Oil Tank Capacity - 70 Ltr.	41 - 50	99965.00
	51 - 80	109065.00
	81 - 100	116030.00
Heavy Duty with Double Contact & Strip Wound Overload Coil with Cable Entry Box Type SSD-SDx Oil Tank Capacity - 80 Ltr.	101 - 125	173105.00
	126 - 150	192110.00
	151 - 200	228155.00

(101 to 200 HP Starters are required with cable box, Rs. 5735/- will be charged extra)

Minimum Packing - 1 Pc.



MANUALLY OPERATED L.T. OIL CIRCUIT BREAKER NON DRAW OUT TYPE TYPE : SOCB - N

HSN CODE : 85369010

DESCRIPTION	RATING AMP.	OIL TANK CAPACITY	BREAKING CAPACITY MVA	PRICE/UNIT (Rs.)
Manually Operated L.T. Oil Circuit Breakers Non-Draw Out Type TYPE : SOCB - N	100	5 Ltr.	5	44635.00
	200	5 Ltr.	5	48700.00
	300	38 Ltr.	5	82435.00
	400	38 Ltr.	15	84700.00
	600	48 Ltr.	25	160930.00
	800	48 Ltr.	25	247465.00
	1250	48 Ltr.	25	292455.00

Interlocking Charges Rs. 4015/- per OCB extra.

Minimum Packing - 1 Pc.



38



SOSR



OIL IMMERSED MANUALLY OPERATED SLIPRING MOTOR STARTER (COMBINED STATOR-ROTOR STARTER) SHEET STEEL CLAD WALL MOUNTING TYPE : SOSR 400-440 VOLTS 3 PHASE 50 Hz

HSN CODE : 85369010

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)
Slipring Oil Immersed Combined Stator-Rotor Starter TYPE : SOSR (A) Three numbers magnetic overload releases with oil dashpot time lags. (B) One number under voltage release. (C) One number stop lever. Oil Tank Capacity - 42 Ltr.	20 -40	47310.00

Minimum Packing - 1 Pc.

39



SOSR (HD)



MANUALLY OPERATED OIL IMMERSED FLOOR MOUNTING STATOR-ROTOR STARTER WITH SKN OIL CIRCUIT BREAKER TYPE : SOSR (HD)

HSN CODE : 85369010

DESCRIPTION	H.P. RATING	RATING OF SOCB	COMPLETE STATOR ROTOR STARTER WITH OCB (Rs.)	PRICE ROTOR ONLY (Rs.)
RATCHET TYPE				
SOSR (HD)	Up to 75	SOCB 100 AMP.	93215.00	48580.00
SOSR (HD)	76 - 150	SOCB 200 AMP.	100265.00	51565.00
ROTARY TYPE				
SOSR (HD)	151 - 200	SOCB 300 AMP.	191280.00	108845.00
SOSR (HD)	201 - 250	SOCB 400 AMP.	222490.00	137790.00
SOSR (HD)	251 - 300	SOCB 400 AMP.	245735.00	161035.00
SOSR (HD)	301 - 350	SOCB 600 AMP.	334220.00	173290.00

NOTE : WHILE PLACING ORDER OF SOSR STARTERS, PLEASE INFORM RV/RA OF THE MOTOR RS. 4725/- FOR STAND COST FOR SOSR WILL BE CHARGED EXTRA.

Minimum Packing - 1 Pc. **Oil Tank Capacity - 95 Ltr.**

40



NEW REVERSING SWITCH (25 A)

41



REVERSING SWITCH (16 A)

42



CHANGE OVER SWITCH (25 A)

43



L.T. CONTROL SWITCH (40 A)



L.T. CONTROL SWITCHES (REVERSING SWITCHES)

HSN CODE : 85365090

S. NO.	DESCRIPTION	PRICE/UNIT (Rs.)	MIN. PKG.
1.	NEW Reversing Switch 25 A (with enclosure)	905.00	30
2.	Reversing Switch 25 A (with enclosure)	845.00	30
3.	Change Over Switch 25 A (with enclosure)	845.00	30
4.	Reversing Switch 25 A (without enclosure)	730.00	30
5.	Star-Delta Switch 25 A (without enclosure)	845.00	30
6.	On-Off Switch 25 A (with enclosure)	760.00	30
7.	On-Off Switch 25 A (without enclosure)	610.00	30
8.	Reversing Switch 16 A (with enclosure)	460.00	40
9.	Change Over Switch 16 A (with enclosure)	460.00	40
10.	On-Off Switch 16 A (with enclosure)	460.00	40
11.	Reversing Switch 40 A (with enclosure)	925.00	30
12.	Reversing Switch 40 A (without enclosure)	780.00	30
13.	Reversing Switch 63 A (with enclosure)	3840.00	20
14.	Change Over Switch 63 A (with enclosure)	3840.00	20
15.	1 Phase 220 V On-Off/ Change Over Switch 16 A	390.00	40



OIL IMMERSSED SINGLE PHASE SUBMERSIBLE CONTROL PANEL TYPE : BSBP
220 V AC Single Phase 50 Hz (3 HP to 7.5 HP)

HSN CODE : 85371000

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)	MIN. PKG.
BSBP Unit with Condensers+O/L Relay+ Digital Meter (Amp. & Volt)+Fuse Unit <i>Oil Tank Capacity - 1.5 Ltr.</i>	3 HP	6790.00	4
	5 HP	7680.00	2
	7.5 HP	8125.00	2

Note:- Rs. 185/- will be charged extra for 3 HP with 20-32 A. Relay Range, in place of 13-21A



OIL IMMERSSED SINGLE PHASE MOTOR CONTROL PANEL TYPE : BOI (SPP)
220 V AC Single Phase 50 Hz (1 HP to 7.5 HP)

HSN CODE : 85371000

DESCRIPTION	H.P.	PRICE/UNIT (Rs.)	MIN. PKG.
BOI (SPP) Unit with Condensers+O/L Relay <i>Oil Tank Capacity - 1.5 Ltr.</i>	1, 2, 3 HP	4465.00	4
	5 HP	6495.00	2
	7.5 HP	6905.00	2

Note:- Rs. 185/- will be charged extra for 3 HP with 20-32 A. Relay Range, in place of 13-21A



**DIRECT-ON-LINE OIL IMMERSSED SUBMERSIBLE CONTROL PANEL WITH
AMP & VOLT METER + MCB + OVERLOAD PROTECTION TYPE : BOI (EN)**
400 V, Three Phase, 50 Hz, AC (7.5 HP to 20 HP)

HSN CODE : 85371000

RELAY/MOTOR AMPS.	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	7.5	10	15	20

	BOI (EN) with MCB	BOI (EN) with Fuse Unit	
7.5 H.P.	Rs. 5750.00	Rs. 6010.00	<i>Oil Tank Capacity - 1.5 Ltr. Minimum Packing - 2 Pcs.</i>
10/12.5/15 H.P.	Rs. 5935.00	Rs. 6195.00	
20 H.P.	Rs. 6085.00	Rs. 6345.00	



**DIRECT-ON-LINE OIL IMMERSSED SUBMERSIBLE CONTROL PANEL WITH AMP & VOLT
METER + MCB + OVERLOAD PROTECTION (Magnetic Dash Pot Relay)**
TYPE : BSOI (EN) 400 V, 50 Hz, AC (7.5 HP to 20 HP)

HSN CODE : 85371000

RELAY/MOTOR AMPS.	9 - 14	13 - 21	20 - 32	25 - 35
H.P.	7.5	10	15	20

	BSOI (EN) with MCB	BSOI (EN) with Fuse Unit	
7.5/10 H.P.	Rs. 6595.00	Rs. 6855.00	<i>Oil Tank Capacity - 2 Ltr. Minimum Packing - 2 Pcs.</i>
12.5/15/20 H.P.	Rs. 6830.00	Rs. 7095.00	



**SEMI AUTOMATIC STAR-DELTA OIL IMMERSSED SUBMERSIBLE CONTROL
PANEL WITH AMP & VOLT METER+MCB/FUSE UNIT+OVERLOAD PROTECTION**
TYPE : BSA (EN) & BCSA (EN) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85371000

MOTOR CURRENT	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	15	20	25	30	35	40

	BSA (EN) with MCB	BSA (EN) with Fuse Unit	BCSA (EN) with MCB	BCSA (EN) with Fuse Unit
15 H.P.	Rs. 9115.00	Rs. 9375.00	Rs. 9620.00	Rs. 9880.00
20 H.P.	Rs. 9495.00	Rs. 9755.00	Rs. 10005.00	Rs. 10265.00
35 H.P.	Rs. 10755.00	Rs. 11015.00	Rs. 11275.00	Rs. 11535.00
40 H.P.	Rs. 11325.00	Rs. 11585.00	Rs. 11870.00	Rs. 12130.00

Oil Tank Capacity - 3.5 Ltr. Minimum Packing - 2 Pcs.



50



51



FAB (EN) / BCFA (EN)



FULLY AUTOMATIC STAR-DELTA OIL IMMERSED SUBMERSIBLE CONTROL PANEL WITH AMP & VOLT METER+MCB/FUSE UNIT+OVERLOAD PROTECTION

TYPE : FAB (EN) & BCFA (EN) 400 V, Three Phase, 50 Hz, AC (15 HP to 40 HP)

HSN CODE : 85371000

MOTOR CURRENT	15 - 24	22 - 35	33 - 54	33 - 54	33 - 54	50 - 70
RELAY AMPS.	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32	30 - 42
H.P.	15	20	25	30	35	40

	FAB (EN) with MCB	FAB (EN) with Fuse Unit	BCFA (EN) with MCB	BCFA (EN) with Fuse Unit
15 H.P.	Rs. 9845.00	Rs. 10105.00	Rs. 10345.00	Rs. 10605.00
20 H.P.	Rs. 10225.00	Rs. 10485.00	Rs. 10725.00	Rs. 10985.00
35 H.P.	Rs. 11485.00	Rs. 11745.00	Rs. 11985.00	Rs. 12250.00
40 H.P.	Rs. 12055.00	Rs. 12315.00	Rs. 12555.00	Rs. 12815.00

For Preventor Rs. 1670/- will be charged extra in all EN series of Starters.

Minimum Packing - 2 Pcs. Oil Tank Capacity - 3.5 Ltr.

52



BOI (TPP) CONTROL PANEL



DIRECT-ON-LINE OIL IMMERSED MOTOR CONTROL PANEL

TYPE : BOI (TPP) (3 HP to 20 HP)

HSN CODE : 85371000

DESCRIPTION OF STARTER	RANGE H.P.	PRICE/UNIT (Rs.)					
		WITH 63 A CUT OUT	WITH 63 A MCCB	WITH 100 A CUT OUT	WITH 100 A MCCB	WITH 200 A CUT OUT	WITH 200 A MCCB
BOI (TPP)	3 - 7.5 HP	6585.00	7755.00	—	—	—	—
BOI (TPP)	10 - 15 HP	6765.00	—	7570.00	7940.00	—	—
BOI (TPP)	20 HP	6945.00	—	7750.00	8115.00	—	—

Minimum Packing - 1 Pc. Oil Tank Capacity - 1.5 Ltr.

53



BSA (TPP) CONTROL PANEL



SEMI AUTOMATIC OIL IMMERSED MOTOR CONTROL PANEL

TYPE : BSA (TPP), BCSA (TPP), BCSA HD (TPP)

(15 HP to 60 HP)

HSN CODE : 85371000

BSA (TPP)	15 HP	10855.00	—	—	12025.00	—	—
BSA (TPP)	20 HP	11240.00	—	12045.00	12410.00	—	—
BSA (TPP)	25 - 35 HP	—	—	12430.00	12800.00	—	—
BSA (TPP)	40 HP	—	—	12925.00	13295.00	—	—
BCSA (TPP)	25 - 35 HP	—	—	12930.00	13300.00	—	—
BCSA (TPP)	40 HP	—	—	13425.00	13790.00	—	—
BCSA HD (TPP)	40 HP	—	—	14245.00	14610.00	—	—
BCSA HD (TPP)	45/50 HP	—	—	—	—	20235.00	23030.00
BCSA HD (TPP)	55/60 HP	—	—	—	—	20780.00	23575.00

Minimum Packing - 1 Pc. Oil Tank Capacity - 3.5 Ltr.

54



FAB (TPP) CONTROL PANEL



FULLY AUTOMATIC OIL IMMERSED MOTOR CONTROL PANEL

TYPE : FAB (TPP), BCFA (TPP), BCFA HD (TPP)

(15 HP to 60 HP)

HSN CODE : 85371000

FAB (TPP)	15 HP	11585.00	—	—	12750.00	—	—
FAB (TPP)	20 HP	11970.00	—	12775.00	13140.00	—	—
FAB (TPP)	25 - 35 HP	—	—	13160.00	13530.00	—	—
FAB (TPP)	40 HP	—	—	13655.00	14025.00	—	—
BCFA (TPP)	25 - 35 HP	—	—	13660.00	14030.00	—	—
BCFA (TPP)	40 HP	—	—	14155.00	14520.00	—	—
BCFA HD (TPP)	40 HP	—	—	14975.00	15340.00	—	—
BCFA HD (TPP)	45/50 HP	—	—	—	—	20965.00	23760.00
BCFA HD (TPP)	55/60 HP	—	—	—	—	21510.00	24300.00

All the above Models are without Preventors.

Minimum Packing - 1 Pc. Oil Tank Capacity - 3.5 Ltr.

For Control Unit with BSA (TPP) / BCSA with Preventor Rs. 1670/- will be charged extra.

For Control Unit BOI (TPP) / BCFA with Preventor : Rs. 1670/- will be charged extra.

Rs. 250/- Per KVAR will be charged extra, if required.



AIR BREAK SEMI AUTOMATIC STAR DELTA MOTOR CONTROL PANEL

TYPE : BADC 415 V, AC, 3 PHASE 50Hz (15 HP to 50 HP) **HSN CODE : 85371000**

MOTOR CURRENT	22 - 33	22 - 33	33 - 54	33 - 54	50 - 66	50 - 66	66 - 84
RELAY AMPS.	13 - 20	13 - 20	20 - 32	20 - 32	30 - 40	30 - 40	45 - 55
H.P.	15	20	25	30	35	40	50

HP	PRICE/UNIT (RS.)
15 HP / 20 HP	12740.00
25 HP / 30 HP	13170.00
35 HP / 40 HP	16450.00
50 HP	21850.00

Minimum Packing - 2 Pcs.



AIR BREAK DIRECT-ON-LINE AUTOMATIC MOTOR CONTROL PANEL WITH SINGLE PHASING PROTECTION TYPE : BADL

415 V, AC, 3 PHASE 50Hz (10 HP to 25 HP) **HSN CODE : 85371000**

H.P.	10	15	20	25
RELAY AMPS.	13 - 20	20 - 32	20 - 32	30 - 40

HP	PRICE/UNIT (RS.)
10 HP	9800.00
15 HP	10195.00
20 HP	10590.00
25 HP	11160.00

Minimum Packing - 4 Pcs.



AIR BREAK SEMI AUTOMATIC STAR DELTA MOTOR STARTERS


TYPE : KADS 415 V, AC, 3 PHASE 50Hz (15 HP to 50 HP) **HSN CODE : 85369010**

MOTOR CURRENT	22 - 33	22 - 33	33 - 54	33 - 54	50 - 66	50 - 66	66 - 84
RELAY AMPS.	13 - 20	13 - 20	20 - 32	20 - 32	30 - 40	30 - 40	40 - 50
H.P.	15	20	25	30	35	40	50

HP	PRICE/UNIT (RS.)
15 HP / 20 HP	10060.00
25 HP / 30 HP	10455.00
35 HP / 40 HP	13725.00
50 HP	20910.00

For Preventor Rs. 1670/- will be charged extra.

Minimum Packing - 2 Pcs.



AIR BREAK DIRECT-ON-LINE MOTOR STARTERS

TYPE : KADL 415 V, AC, 3 PHASE 50Hz (10 HP to 25 HP) **HSN CODE : 85369010**

H.P.	10	15	20	25
RELAY AMPS.	13 - 20	20 - 32	20 - 32	30 - 40

HP	PRICE/UNIT (RS.)
10 HP	7060.00
15 HP	7450.00
20 HP	8235.00
25 HP	8815.00

For Preventor Rs. 1670/- will be charged extra.

Minimum Packing - 4 Pcs.



59



BUSA & BUFA



AIR BREAK SEMI AUTOMATIC & FULLY AUTOAMATIC MOTOR STARTERS

TYPE : BUSA & BUFA (10 HP to 40 HP)

HSN CODE : 85369010

DESCRIPTION		PRICE/UNIT (Rs.)						
H.P.		10	15	20	25	30	35	40
RELAY AMPS.		9 - 14	13 - 21	13 - 21	20 - 32	20 - 32	20 - 32	28 - 42

	BUSA	BUFA
Upto 15 HP (TP)	10450.00	11815.00
20 HP (TP)	10645.00	12010.00
25, 30, 35 HP (TP)	11295.00	12660.00
40 HP (TP)	11955.00	13320.00

Minimum Packing - 2 Pcs.

60



BUSA-PANEL/
BUFA PANEL



AIR BREAK SEMI AUTOMATIC & FULLY AUTOMATIC MOTOR CONTROL PANEL

TYPE : BUSA-PANEL/BUFA PANEL 415 V, AC, 3 PHASE 50Hz (10 HP to 40 HP)

HSN CODE : 85369010

H.P.		10	15	20	25	30	35	40
RELAY AMPS.		9 - 14	13 - 21	13 - 21	20 - 32	20 - 32	20 - 32	28 - 42

HP	PRICE/UNIT (RS.)	
	BUSA-PANEL	BUFA-PANEL
15 HP	12325.00	13690.00
20 HP	12535.00	13900.00
25, 30, 35 HP	13320.00	14685.00
40 HP	13970.00	15335.00

Minimum Packing - 4 Pcs. For Preventor Rs. 1670/- will be charged extra.

61



BU (DOL) PANEL



AIR BREAK DIRECT ON LINE MOTOR CONTROL PANEL

TYPE : BU (DOL) PANEL 415 V, AC, 3 PHASE 50Hz (7.5 HP to 20 HP)

HSN CODE : 85369010

H.P.		7.5	10	15	20
RELAY AMPS.		9 - 14	13 - 21	20 - 32	28 - 42

HP	PRICE/UNIT (RS.)
	BU (DOL) PANEL
7.5 HP/ 10 HP	5330.00
15 HP	5435.00
20 HP	5810.00

Minimum Packing - 4 Pcs. For Preventor Rs. 1670/- will be charged extra.

62



SMC-3 (SP)



AIR BREAK SINGLE PHASE MOTOR CONTROL PANEL WITH CONTACTOR &

MCB-SP TYPE : SMC-3 (SP) (1HP to 3HP) 240V AC 50 Hz **HSN CODE : 85371000**

		PRICE/UNIT (RS.)
0.5 HP - 0.75 HP	10 Amp.	3225.00
1.0 HP	10 Amp.	3300.00
1.5 HP	12 Amp.	3500.00
2.0 HP	16 Amp.	4010.00
3.0 HP	27 Amp.	4520.00

Minimum Packing - 10 Pcs.



AIR BREAK SINGLE PHASE MOTOR CONTROL PANEL WITH CONTACTOR, AUTO SWITCH & MCB-DP TYPE : SMC-3 (DP) (1HP to 3HP) 240V AC 50 Hz
HSN CODE : 85371000

HP		PRICE/UNIT (RS.)
1.0 HP	10 Amp.	5470.00
1.5 HP	12 Amp.	5670.00
2.0 HP	16 Amp.	6180.00
3.0 HP	27 Amp.	6685.00

Minimum Packing - 4 Pcs.




AIR BREAK DIRECT-ON-LINE MOTOR CONTROL PANEL WITH SINGLE PHASING PREVENTOR (Auto/Bypass Switch) TYPE : SMC-3 TP
415 V AC 3 Phase 50 Hz (3 HP to 15 HP) **HSN CODE : 85371000**

H.P.	3	5	7.5	10	15
RELAY AMPS.	4 - 6.5	6 - 10	9 - 14	13 - 21	20 - 32

HP	PRICE/UNIT (RS.)
3 HP / 5 HP / 7.5 HP	5315.00
10 HP	5900.00
15 HP	6505.00

Minimum Packing - 4 Pcs.



AIR BREAK STAR DELTA MOTOR CONTROL PANEL WITH SINGLE PHASING PREVENTOR (Auto/Bypass Switch) TYPE : SMC-3 SD
415 V AC 3 Phase 50 Hz (5 HP to 30 HP)

H.P.	5	7.5	10	15	20	20	25	30
RELAY AMPS.	4 - 6.5	6 - 10	6 - 10	9 - 14	13 - 21	20 - 32	20 - 32	20 - 32

HP	PRICE/UNIT (RS.) with (HD) Contactor	PRICE/UNIT (RS.)
UPTO 15 HP	8995.00	7025.00
20 HP (13-21 RR)	10185.00	8815.00
20 HP (20-32 RR)	10360.00	8990.00
25 HP / 30 HP	11565.00	9575.00

Minimum Packing - 4 Pcs.



SINGLE PHASING PREVENTOR SINGLE PHASING PREVENTOR WITH AUTOMATIC OPERATION
HSN CODE : 90328990

Sensing Negative Sequence Voltage Components Protection against Single Phasing, Reverse Phasing, Unbalanced Voltage, Under Voltage & Over Voltage condition

	PRICE/UNIT (RS.)
TYPE : BAPSD (N)	1670.00
TYPE : NEW BAP (M)	1435.00
TYPE : ADP (DC Preventor) with Transformer	1670.00
TYPE : ADP (DC Preventor) without Transformer	1435.00

{ADP (DC Preventor for BADC Panels)}



69



CHANGE OVER SWITCHES



CHANGE OVER SWITCHES (DOUBLE POLE) WITH SHEET METAL ENCLOSURE PORCELAIN TYPE, SIDE HANDLE OPERATED

TYPE : BDO (Confirming to IS : 13947 (Part-3) 1993 - IEC 947 (Part-3))

HSN CODE : 85365090

Cat.	Ref.	Amps.	Poles	Volts	Price/Unit (Rs.)	Type	MIN. PKG.
BDO	32	32	DP	240	1615.00	Porcelain U-Type	6
BDO	63	63	DP	240	4075.00	Porcelain U-Type	2

70



CHANGE OVER SWITCHES KNIFE TYPE



CHANGE OVER SWITCH (FOUR POLE (U-TYPE/KNIFE TYPE) WITH OFFLOAD FIBRE GLASS STRIP) WITH SHEET METAL ENCLOSURE, SIDE HANDLE OPERATED

TYPE : BCO (Confirming to IS : 13947 (Part-3) 1993 - IEC 947 (Part-3))

HSN CODE : 85365090

Cat.	Ref.	Amps.	Poles	Volts	Price/Unit (Rs.)	Type	MIN. PKG.
BCO	32	32	FP	415	2690.00	Porcelain U-Type	4
BCO	63	63	FP	415	5355.00	Porcelain U-Type	2
BCO	100	100	FP	415	9760.00	Porcelain U-Type	1
BCO	100	100	FP	415	10490.00	Knife Type	1
BCO	200	200	FP	415	13990.00	Knife Type	1
BCO	300	300	FP	415	19900.00	Knife Type	1
BCO	400	400	FP	415	25905.00	Knife Type	1
BCO	600	600	FP	415	48025.00	Knife Type	1
BCO	800	800	FP	415	68115.00	Knife Type	1
BCO	1000	1000	FP	415	84620.00	Knife Type	1
BCO	1500	1500	FP	415	213365.00	Knife Type	1
BCO	2000	2000	FP	415	309250.00	Knife Type	1

71



MAIN SWITCHES



DOUBLE/TRIPLE POLE/TRIPLE POLE WITH NEUTRAL, SIDE HANDLE OPERATED REWIRABLE MAIN SWITCHES IN SHEET METAL ENCLOSURE

TYPE : BSP/BSG (Confirming to IS :13947 (Part 3) 1993-IEC 947 (Part 3))

HSN CODE : 85365090

Type	Ref.	Amps.	Poles	Volts	Price/Unit (Rs.)	MIN. PKG.
BSP	32	32	DP	240	1160.00	6
BSG	32	32	TP	415	1765.00	4
BSG	32 N	32	TP & N	415	1815.00	4
BSG	63	63	TP	415	3780.00	2
BSG	63 N	63	TP & N	415	3880.00	2
BSG	100	100	TP	415	7065.00	1
BSG	100 N	100	TP & N	415	7215.00	1
BSG	200	200	TP	415	10255.00	1
BSG	200 N	200	TP & N	415	10505.00	1
BSG	300	300	TP	415	14365.00	1
BSG	300 N	300	TP & N	415	14665.00	1

72



BUS BAR



BUS BAR CHAMBERS 3 PHASE 4 BAR HEAVY DUTY COPPER BAR

HSN CODE : 85369030

Type	Amps.	Volts	Price/Unit (Rs.)	MIN. PKG.
BB	63	415	3245.00	2
BB	100	415	4300.00	2
BB	200	415	8250.00	1



**DOUBLE BREAK COMBINATION FUSE SWITCH UNIT FOR HRC FUSE (without HRC Fuse)
TPN, SIDE HANDLE OPERATED WITH SHEET METAL ENCLOSURE TYPE : BSF**
(Confirming to IS :13947 (Part 3) 1993-IEC 947 (Part 3) **HSN CODE : 85365090**

Type	Amps.	Volts	Price/Unit (Rs.) (without HRC Fuse)	MIN. PKG.
BSF	100	415	11585.00	1
BSF	200	415	15400.00	1
BSF	300	415	16505.00	1
BSF	400	415	20475.00	1
BSF	600	415	24920.00	1
BSF	800	415	34605.00	1



CAPACITORS FOR SINGLE PHASE SUBMERSIBLE CONTROL PANEL

HSN CODE : 85322500

RUNNING CAPACITOR RATING	PRICE/UNIT (Rs.)	RUNNING CAPACITOR RATING	PRICE/UNIT (Rs.)	MIN. PKG.
2 Mfd	50.00	25 Mfd	195.00	20
2.25 Mfd	55.00	50 Mfd.	332.00	20
2.50 Mfd	58.00	60 Mfd.	397.00	20
3.15 Mfd	62.00	72 Mfd.	440.00	20
4 Mfd	69.00	105 Mfd.	614.00	20
5 Mfd	85.00	120 - 150 Mfd.	522.00	20
6 Mfd	89.00	150 - 200 Mfd.	582.00	20
8 Mfd	108.00	200 - 250 Mfd.	630.00	20
10 Mfd	116.00	250 - 300 Mfd.	701.00	20
20 Mfd	154.00			



L.T. SHUNT CAPACITOR FOR POWER FACTOR ENVIRONMENT (KVAR)

HSN CODE : 85323000

DESCRIPTION	PRICE/UNIT (Rs.)
1 KVAR TO 25 KVAR (DRY)	415 V 245.00 per KVAR
1 KVAR TO 25 KVAR (OIL Filled)	415 V 390.00 per KVAR
	<i>Minimum Packing - 100 KVAR</i>



PVC INSULATING ADHESIVE TAPE

HSN CODE : 27101990

DESCRIPTION	PRICE/UNIT (Rs.)
Width : 1.80 cm. • Length : 8 Meters	15.00 Per Unit
Thickness : 0.125 mm • Type : F-PVC/90/0/TP/FR	30 Pcs 1 Pkt. 450.00 Per box
	<i>Minimum Packing - 380 Pcs.</i>



Digital Volt - Amp. Meter

HSN CODE : 90283010

1	VA Digital Panel Meter 72 x 72 mm for measurement of instantaneous Voltage and Current (with Double Display)	Volts Amps	125V to 500V 2A to 100A	775.00
2	VA Digital Panel Meter 96 x 96 mm for measurement of instantaneous Voltage & Current (with Double Display)	Volts Amps	125V to 500V 2A to 100A	1015.00

Minimum Packing -12 Pcs.



78



DYNAMIC

79



WINSOME

80



PRIMA

81



SALCON

82



ERA

83



ROYAL TOUCH



AC ELECTRIC CEILING FAN (230V, 50 Hz)

IS:374-2019



HSN CODE : 84145120

Product Name	Sweep	Colour	PRICE / UNIT (Rs.)
DYNAMIC	24" (600 mm)	(High Speed Four Blades) White & Mat-Brown	1880.00
HIFLOW	36" (900 mm)	White & Brown	1905.00
HIFLOW	42" (1050 mm)	White & Brown	1925.00
ECONOMICAL	48" (1200 mm)	White & Brown	1845.00
WINSOME	48" (1200 mm)	White, Brown & Ivory	1995.00
WINSOME	56" (1400 mm)	White & Brown	2380.00
GOLD-AIR	48" (1200 mm)	White, Ivory & Mat Brown	2085.00
PRIMA	48" (1200 mm)	White, Ivory & Mat Brown	2200.00
PRIMA PS-50 (1 Star)	48" (1200 mm)	White & Mat Brown	2510.00
PRIMA	56" (1400 mm)	White & Mat Brown	2615.00
MARVEL-STAR	48" (1200 mm)	White, Ivory & Mat Brown	2475.00
GRACIA	48" (1200 mm)	White, Ivory & Mat Brown	2510.00
SALCON	48" (1200 mm)	Silver Blue, Pearl Ivory & Beige Brown	2760.00
ACURA	48" (1200 mm)	Brown & Ivory	2835.00
ERA	48" (1200 mm)	Super White & Golden Brown	2870.00
ROYAL TOUCH	48" (1200 mm)	Golden-Mist, Bronze Copper, Pearl Ivory-Gold	3340.00

Minimum Packing - 4 Pcs.

84



FAN REGULATOR




AC CEILING FAN REGULATOR

As per IS-11037:1984 (Reff. 2010)

HSN CODE : 84149030

MODEL	PRICE/UNIT (RS.)
Electronic Fan Regulator (4 Steps) Switch Type, Full Rotation	195.00
Electronic Fan Regulator (5 Steps) Socket Type, Full Rotation	230.00
Modular Fan Regulator (4 Steps) Switch Type, Full Rotation	230.00
Modular Fan Regulator (5 Steps) Socket Type, Full Rotation	265.00

85



FRESH AIR FAN (LIGHT DUTY)



AC ELECTRIC FRESH AIR FAN & BEARING TYPE FRESH AIR FAN

HSN CODE : 84149030

MODEL	PRICE/UNIT (RS.)	
Fresh Air Fan (220V, AC, 50 Hz) Light Duty Capacitor type	6" (150 mm)	1930.00
	9" (225 mm)	1990.00
	12" (300 mm)	2140.00
Bearing type Fresh Air Fan (220V, AC, 50 Hz) Light Duty Capacitor type	9" (225 mm)	3270.00
	12" (300 mm)	3485.00

SUPER ENERGY EFFICIENT ELECTRIC BLDC CEILING FAN 5 STAR

HSN CODE : 84145120

PRODUCT NAME	SWEEP	COLOUR	PRICE / UNIT (Rs.)	
			SOLOMAX	SUNGOLD DECORATIVE FAN
BLDC CEILING FAN 5 STAR SOLAR 12 VOLT D.C.	48" (1200 mm)	White, Mat-Brown and Ivory	3000.00	3170.00
BLDC CEILING FAN 5 STAR WITH (230V AC/12V DC) ADAPTER (for AC & DC supply both)	48" (1200 mm)	White, Mat-Brown and Ivory	4970.00	5145.00
SUPER ENERGY EFFICIENT ELECTRIC BLDC CEILING FAN. 5 STAR 230V, 50Hz AC SUPPLY	36" (900 mm)	White, Mat-Brown and Ivory	4760.00	4935.00
	48" (1200 mm)	---do---	4865.00	5040.00
	56" (1400 mm)	---do---	5125.00	5300.00
SUPER ENERGY EFFICIENT ELECTRIC BLDC CEILING FAN. 5 STAR 230V, AC SUPPLY WITH REMOTE	36" (900 mm)	White, Mat-Brown and Ivory	5125.00	5300.00
	48" (1200 mm)	---do---	5225.00	5405.00
	56" (1400 mm)	---do---	5380.00	5560.00
SUPER ENERGY EFFICIENT ELECTRIC BLDC CEILING FAN. 5 STAR 230V, AC SUPPLY WITH 5 STEP REGULATOR	36" (900 mm)	White, Mat-Brown and Ivory	4865.00	5040.00
	48" (1200 mm)	---do---	4970.00	5145.00
	56" (1400 mm)	---do---	5225.00	5405.00

Minimum Packing - 4 Pcs.

DC ELECTRIC, TABLE, WALL & PEDESTAL FANS

HSN CODE : 84145120

DC TABLE FAN	(12V, DC)	12" (300 mm)	Non-Rechargeable	3365.00
		16" (400 mm)	Rechargeable	3830.00
DC WALL FAN	(12V, DC)	16" (400 mm)	Non-Rechargeable	3625.00
DC PEDESTAL FAN	(12V, DC)	16" (400 mm)	Non-Rechargeable	3935.00
		16" (400 mm)	Rechargeable	4090.00

Minimum Packing - 1 Pc.

THESE RATES ARE WITHOUT BATTERY AND SOLAR PLATE COST.

Note :- DC Fan can also operate with Solar Plate & Adaptor. (230 V AC / 12 V DC 5 A)



93



TABLE FAN

94



WALL FAN



AC ELECTRIC, TABLE, WALL & PEDESTAL FANS (220V, 50Hz)

HSN CODE : 84145120

MODEL	SWEEP	PRICE/UNIT (RS.)
ELECTRIC TABLE FAN	16" (400 mm)	6025.00
ELECTRIC WALL FAN	16" (400 mm)	5745.00
	24" (600 mm)	9575.00
ELECTRIC PEDESTAL FAN	12" (300 mm)	5745.00
	16" (400 mm)	6055.00
	20" (500 mm)	7295.00

95



VENTILATION FAN



AC ELECTRIC VENTILATION FAN

HSN CODE : 84149030

MODEL	SWEEP	PRICE/UNIT (RS.)
Ventilation Fan (220V, AC, 50 Hz) Light Duty Capacitor type	6" (150 mm)	3300.00
	8" (200 mm)	3405.00
	10" (250 mm)	3505.00

96



EXHAUST FAN



AC ELECTRIC INDUSTRIAL EXHAUST FAN

HSN CODE : 84149030

Industrial Exhaust Fan (220V, AC, 50 Hz) Heavy Duty type	12" (300 mm)	4760.00
	15" (380 mm)	5125.00
	18" (450 mm)	5640.00
	24" (600 mm)	9780.00

97



MONO BLOCK PUMP




**SELF PRIMING MONO BLOCK PUMP SET (All Aluminium Body)
220V, AC 50 Hz**

HSN CODE : 84133030

RANGE/MODEL	PERFORMANCE DATA	PRICE/UNIT (Rs.)	MIN. PKG.
0.5 HP FANTOM	Total Head : 90 ft / 27 mts. Max. Disch. : 2400 LPH	4945.00	2
0.5 HP REGULAR	Total Head : 100 ft / 30 mts. Max. Disch. : 2700 LPH	5460.00	2
1.0 HP EXTRA FLOW	Total Head : 120 ft / 36 mts. Max. Disch. : 3050 LPH	5845.00	2
1.0 HP FANTOM	Total Head : 140 ft / 42 mts. Max. Disch. : 2900 LPH	6795.00	2
1.0 HP REGULAR	Total Head : 160 ft / 48 mts. Max. Disch. : 3200 LPH	8575.00	1
1.0 HP SHALLOW WELL SUPER SUCTION	Suction Lift : 28 ft / 8.5 mts. Total Head : 100 ft / 30 mts. Max. Disch. : 4000 LPH	10485.00	1

98



INDUCTION MOTOR



**AC SINGLE PHASE INDUCTION MOTOR
220V, 50 Hz**

HSN CODE : 85014090

POWER HP/KW	RPM	PRICE/UNIT (Rs.)	MIN. PKG.
2.0 HP / 1.5 KW	1440	14005.00	1
3.0 HP / 2.25 KW	1440	19000.00	1



B TYPE (L SERIES) / B TYPE (L SERIES) DLX MODEL IS/IEC-60898-2015 **PRICE/UNIT (Rs.)**
MINIATURE CIRCUIT BREAKERS (M.C.B.)
240/415V A.C. 50Hz **HSN CODE : 85362030**

CURRENT RATING	TYPE B (L SERIES)			PRICE/UNIT (Rs.)		
	SP	SPN	DP	TP	TPN	FP
6A-32 Amp	127.00	310.00	345.00	495.00	675.00	710.00
40 Amp	182.00	370.00	430.00	680.00	845.00	890.00
Tiny Trip (6A-32Amp)	127.00		345.00			



C TYPE (G SERIES) / C TYPE (G SERIES) DLX MODEL IS/IEC-60898-2015 **PRICE/UNIT (Rs.)**
MINIATURE CIRCUIT BREAKERS (M.C.B.)
240/415V A.C. 50Hz **HSN CODE : 85362030**

CURRENT RATING	TYPE C (G SERIES)			PRICE/UNIT (Rs.)		
	SP	SPN	DP	TP	TPN	FP
0.5A-5 Amp	165.00	395.00	430.00	575.00	790.00	810.00
6A-32 Amp	136.00	330.00	370.00	530.00	735.00	750.00
40 Amp	192.00	415.00	470.00	710.00	910.00	930.00
50 & 63 Amp	321.00	705.00	735.00	1125.00	1420.00	1455.00
80A-100 Amp	720.00	-	1595.00	2385.00	-	3335.00




ISOLATORS (240/415 V, AC, 50 Hz) **PRICE/UNIT (Rs.)**
HSN CODE : 85362030

RATING AMPS.	TYPE	SINGLE POLE	DOUBLE POLE	TRIPLE POLE	FOUR POLE
40 Amp	B1-40	127.00	265.00	405.00	535.00
63 Amp	B1-63	150.00	310.00	455.00	605.00
100 Amp	BE(DS)-100	205.00	430.00	645.00	865.00



CHANGE OVER (240/415 VOLTS, AC 50 Hz) **HSN CODE : 85362030**
PRICE/UNIT (Rs.)

RATING AMPS	TYPE	Double Pole	Four Pole
25A-40 Amp	BL (C/O)-40	625.00	1560.00
63 Amp	BL (C/O)-63	675.00	1705.00



105



DISTRIBUTION BOARD



DISTRIBUTION BOARDS: PLASTIC ENCLOSURE WITH DIN CHANNEL SUITABLE FOR INCORPORATING LINGER MCBs.

HSN CODE : 85371000

Type	No. of Ways	Price/Unit (Rs.)
BL-P	1 or 2 (0.5 A - 63 A)	65.00
BL-P	3 or 4 (0.5 A - 63 A)	130.00

106



DISTRIBUTION BOARD



SHEET STEEL DISTRIBUTION BOARDS FOR INCORPORATING LINGER MCBs.

HSN CODE : 85371000

Type	Price/unit (Rs.)	Type	Price/Unit (Rs.)
BSS 1 or 2 Ways	210.00	BT 4 Ways (TPN)	1815.00
BSS 3 or 4 Ways	290.00	BT 6 Ways (TPN)	2245.00
BS 4 Ways (SPN)	510.00	BT 8 Ways (TPN)	2695.00
BS 6 Ways (SPN)	555.00	BT 12 Ways (TPN)	3005.00
BS 8 Ways (SPN)	635.00		
BS 12 Ways (SPN)	765.00		
BS 16 Ways (SPN)	975.00		

107



PLUG & SOCKET WITH SHEET STEEL ENCLOSURE



PLUG AND SOCKET IN SHEET STEEL ENCLOSURE WITHOUT MCBs.

HSN CODE : 85366910

TYPE	RATING	AMP.	VOLTS	PRICE/UNIT (Rs.)
BPSD	SP	10 A	250	615.00
BPSD	SP	20 A	250	675.00
BPSD	TP	20 A	415	1090.00
BPSD	TP	30 A	415	1515.00

108



PLUG & SOCKET



PLUGS & SOCKETS METAL CLAD

HSN CODE : 85366910

RATING	VOLTS	PLUG PRICE (RS.)	SOCKET PRICE (RS.)	SET PRICE (Rs.)
DP 10 A	250	140.00	140.00	280.00
DP 20 A	250	165.00	165.00	330.00
TP 20 A	250	225.00	225.00	450.00
TP 32 A	250	395.00	395.00	790.00



MOULDED CASE CIRCUIT BREAKERS TYPE : MCCB

HSN CODE : 85362020

109

TYPE	AMPS	POLE	BREAKING CAPACITY 230V/415V	PRICE (Rs.)
BM-100	50, 60, 75, 100	DP	25 KA / 10 KA	1985.00
BM-100	50, 60, 75, 100	TP	25 KA / 10 KA	2285.00
BM-250	125 to 250	TP	25 KA / 15 KA	6405.00
BM-400	300, 400	TP	35 KA / 22 KA	16545.00
BM-600	500, 600	TP	42 KA / 30 KA	28015.00
BM-800	700, 800	TP	42 KA / 30 KA	35110.00
BM-100	100	FP	35 KA / 25 KA	3765.00
BM-250	125 to 250	FP	35 KA / 25 KA	10595.00
BM-400	300, 350, 400	FP	35 KA / 22 KA	26705.00
BM-600	500, 600	FP	42 KA / 30 KA	47155.00
BM-800	700, 800	FP	42 KA / 30 KA	58260.00

Adjustable: Current adjustment 80%



MCCB



RESIDUAL CURRENT CIRCUIT BREAKERS ELECTRO MECHANICAL

(RCCB/ELCB) As per IS-12640:1:2008

HSN CODE : 85362040

110

CURRENT RATING	DOUBLE POLE PRICE (Rs.)	FOUR POLE PRICE (Rs.)
	30mA/100mA/300mA	30mA/100mA/300mA
16 A	1425.00	1945.00
25 A	1455.00	1975.00
32 A	1495.00	2045.00
40 A	1560.00	2140.00
63 A	1640.00	2295.00
100 A	1955.00	3315.00
Enclosure Plastic	75.00	150.00



111



RCCB / ELCB



EARTH LEAKAGE CIRCUIT BREAKER WITH MINIATURE CIRCUIT BREAKER (MCB+ELCB)

HSN CODE : 85362040

112

CURRENT RATING	DOUBLE POLE PRICE (Rs.)	FOUR POLE PRICE (Rs.)
	30mA/100mA/300mA	30mA/100mA/300mA
16 A	1050.00	1715.00
25 A	1080.00	1715.00
32 A	1135.00	1795.00
40 A	1195.00	1935.00
63 A	1465.00	2250.00
100 A	2175.00	4200.00
Enclosure Plastic	150.00	285.00



MCB + ELCB

113



114



115



ENERGY METER



Range and Ratings of Single Phase AC Energy Meter, Accuracy Class 1.0

IS : 13779

HSN CODE : 90283010

S. No.	DESCRIPTION OF THE ITEM	TYPE	RATING	PRICE
1	AC Single Phase Static Energy Meter with COUNTER DISPLAY	EM-124	5-20A	599.00
			10-40A	599.00
2	AC Single Phase Static Energy Meter with COUNTER DISPLAY	EM-126	5-30A	599.00
3	AC Single Phase Static Energy Meter with LCD DISPLAY	EM-124	5-20A	885.00
			10-40A	885.00
4	AC Single Phase Static Energy Meter with LCD DISPLAY	EM-126	5-30A	885.00
			10-60A	1040.00
5	AC Single Phase Mini Multi Function Energy Meter	EM-124	5-20A	1005.00
			10-40A	1005.00
6	AC Single Phase Multi Function Energy Meter	EM-126	5-30A	1025.00
			10-60A	1365.00

Minimum Packing - 24 Pcs.



AC Three Phase Energy Meter Range

HSN CODE : 90283010

S. No.	DESCRIPTION OF THE ITEM	TYPE	RATING	PRICE
1	AC Three Phase Static Energy Meter with COUNTER DISPLAY	BLSM-T-44	10-40A	2095.00
		EM-346	10-60A	2320.00
2	AC Three Phase Static Energy Meter with LCD DISPLAY	BLSM-T-44	10-40A	2385.00
		EM-346	10-60A	2740.00

Minimum Packing - 12 Pcs.

OUR PRODUCT RANGE

STARTERS & SWITCHGEARS



BOI



BSA



SSD

पचास साल से
आपकी दमदार पसन्द



KAPIL CHOPRA
Chairman & MD

SKN-BENTEX
GROUP

MUST SEE BEFORE
PURCHASE
असली
SKN-BENTEX
की पहचान



BSDL



SDM



BU (DOL)



S.P. PREVENTOR
BAPSD (N)



L.T. CONTROL
SWITCH (32 A.)



MAIN SWITCH



CHANGE OVER
SWITCHES
KNIFE TYPE

MOTOR CONTROL PANELS



BADC



BUSA-PANEL



BSA (EN) /
BCSA (EN)



BOI CONTROL PANEL

MCB, RCCB+ELCB, MCCB, KVAR, KWH METER



MCB



ISOLATOR



MCB DISTRIBUTION BOARD



RCCB / ELCB



CHANGE OVER



MCCB



KVAR



KWH METER

KAPIL



खरीदने से पहले अवश्य देखिये



GENERAL TERMS & CONDITIONS:

Prices are subject to change without notice and those ruling at the time of despatch will be applicable.

All products are guaranteed for 6 months against any manufacturing defects.

This Price list supercedes all previous price lists.

Prices of other spares will be sent on demand.

Prices are inclusive of GST.

Prices are F.O.R. Delhi.

For trade and technical enquiries regarding our products and their availability in different region of the Country and World over please write to our Marketing Manager.

AUTHORISED DEALER/DISTRIBUTOR :

BENTEX CONTROL & SWITCHGEAR CO.

B-63-65/3, Naraina Industrial Area, Phase-II, New Delhi-110028
E-mail: bentex3@rediffmail.com Web: www.sknbentex.co.in
Consumer Help Line No.: 011-45698100 (30 Lines) 011-43138100
Toll Free No.: 180030008244

SKN-BENTEX GROUP

A-8, Naraina Industrial Area, Phase-II, New Delhi-110028
E-mail: contact@sknbentex.co.in Web: www.sknbentex.co.in
Consumer Help Line No.: 011-45698100 (30 Lines) 011-43138100
Toll Free No.: 180030008244

ARC ELECTRICALS PVT. LTD.

Plot No. 730, Pace City-II, Sector-37, Gurugram-122001
E-mail: support@arcelectricals.co.in Web: www.arcelectricals.co.in
Phone No.: 91 124-2210222

Toll Free No.: 180030008244